
### **UTME 2018 CHEMISTRY QUESTIONS**

- 1. The periodic classification of the elements is an arrangement of the elements in order of their
  - A. atomic weights
  - B. isotopic weights
  - C. molecular weights
  - D. atomic numbers
- 2. If 1 litre of 2.2M sulphuric acid is poured into a bucket containing 10 litres of water, and the resulting solution mixed thoroughly, the resulting sulphuric acid concentration will be
  - A. 2.2 M
  - B. 1.1 M
  - C. 0.22 M
  - D. 0.11 M
- 3.




In the above experiment (Fig. 1) the litmus paper will initially

- A. be bleached
- B. turn green
- C. turn red
- D. turn blue
- 4. A correct electrochemical series can be obtained from K, Na, Ca, Al, Mg. Zn, Fe, Pb, H, Cu, Hg, Ag, Au by interchanging
  - A. Al and Mg
  - B. Zn and Fe
  - C. Zn and Pb
  - D. Pb and H
- 5. A basic postulate of the kinetic theory of gases is that the molecules of a gas move in straight lines between collisions. This implies that
  - A. collisions are perfectly elastic
  - B. forces of repulsion exist

- C. forces of repulsion and attraction are in equilibrium
- D. collisions are inelastic.
- 6. On which of the following is the solubility of a gaseous substance dependent? I. Nature of solvent II. Nature of solute III. Temperature IV. Pressure
  - A. I, II, III and IV
  - B. I and II only
  - C. II only
  - D. I, III and IV only.
- 7. Which of the following statements is correct about the periodic table?
  - A. Elements in the same period have the same number of valence electrons
  - B. The valence electrons of the elements in the same period increase progressively across the period.
  - C. Elements in the same group have the same number of electron shells
  - D. The non-metallic properties of the elements tend to decrease across each period.
- 8. The boiling of fat and aqueous caustic soda is referred to as
  - A. hydrolysis
  - B. esterification
  - C. acidification
  - D. saponification
- 9. Which of the following pairs of substances will react further with oxygen to form a higher oxide?
  - A. CO<sub>2</sub> and H<sub>2</sub>O
  - B. NO and H<sub>2</sub>O
  - C. CO and CO<sub>2</sub>
  - D. SO<sub>2</sub> and NO
- 10.In the preparation of oxygen by heating KCIO₃ in the presence of MnO₂, only moderate heat is needed because the catalyst acts by
  - A. lowering the pressure of the reaction
  - B. increasing the surface area of the reaction
  - C. increasing the rate of the reaction
  - D. lowering the energy barrier of the reaction.

- 11.Methanoic acid mixes with water in all proportions and has about the same boiling point as water. Which of the following methods would you adopt to obtain pure water from a mixture of sand, water and methanoic acid?
  - A. Fractional distillation
  - B. Filtration followed by distillation
  - C. Neutralization with sodium hydroxide followed by distillation
  - D. Neutralization with sodium hydroxide followed by filtration
- 12.A quantity of electricity liberates 3.6 g of silver from its salt. What mass of aluminium will be liberated from its salt by the same quantity of electricity?
  - A. 2.7 g
  - B. 1.2 g
  - C. 0.9 g
  - D. 0.3 g
  - [Al = 27, Aq = 108].
- 13. Suitable reagents for the laboratory preparation of nitrogen are
  - A. sodium dioxonitrate (III) and ammonium chloride
  - B. sodium trioxonitrate (V) and ammonium chloride
  - C. sodium chloride and ammonium trioxonitrate (V)
  - D. sodium chloride and ammonium diozonitrate (III).
- 14. The number of electrons in the valence shell of an element of atomic number 14 is
  - A. 1
  - B. 2
  - C. 3
  - D. 4
- 15.What volume of oxygen will remain after reacting 8cm³ of hydrogen gas with 20cm³ of oxygen gas?
  - A. 10cm<sup>3</sup>
  - B. 12cm<sup>3</sup>
  - C. 14cm<sup>3</sup>
  - D. 16cm<sup>3</sup>

- 16.If one of the following oxides is heated with hydrogen or carbon using a Bunsen burner, it is not reduced to the metal. Which one is it?
  - A. lead oxide
  - B. Magnesium oxide
  - C. Copper oxide
  - D. Tin oxide
- 17. The name for



- A. 1 -methylpentane
- B. 3-methylbutane
- C. 2-methylbutane
- D. 1 -dimethylpropane
- 18.An aqueous solution of a metal salt M, gives a white precipitate with NaOH which dissolves in excess NaOH. With aqueous ammonia, the solution of M also gives a white precipitate which dissolves in excess ammonia. Therefore, the cation in M is
  - A. Zn<sup>2+</sup>
  - B. Ca<sup>2+</sup>
  - C. Al<sup>3+</sup>
  - D. Pb<sup>2+</sup>
- 19.What is the concentration of a solution containing 2g of NaOH in 100cm<sup>3</sup> of solution?
  - A. 0.40 mol dm<sup>-3</sup>
  - B. 0.50 mol dm<sup>-3</sup>
  - C. 0.05 mol dm<sup>-3</sup>
  - D. 0.30 mol dm<sup>-3</sup>
  - [Na = 23, O = 16, H = 1]
- 20. How many atoms are present in 6.0g, of magnesium?
  - A.  $1.20 \times 10^{22}$
  - B. 2.41 x 10<sup>22</sup>
  - C.  $1.51 \times 10^{23}$
  - D.  $3.02 \times 10^{23}$
  - $[Mg = 24, N_A = 6.02 \times 10^{23} \text{ mol}^{-1}].$

- 21. The radio isotope used in industrial radiography for the rapid checking of faults in welds and casting is
  - A. carbon 14
  - B. Phosphorus 32
  - C. Cobalt
  - D. Iodine 131
- 22.Beryllium and Aluminium have similar properties because they
  - A. are both metals
  - B. belong to the same group
  - C. belong to the same period
  - D. are positioned diagonally to each other
- $23.mE + Nf \leq pG + qH$

In the equation above, the equilibrium constant is given by

- $\mathsf{A.} \frac{[E]^m [F]^n}{[G]^p [H]^q}$
- $\mathsf{B.}\,\frac{[E][F]}{[G][H]}$
- C.  $\frac{[G]^p[H]^2}{[E]^m[F]^n}$
- $\mathsf{D.}\frac{[G][H]}{[E][F]}$
- 24.(i)  $3CuO_{(s)} + 2NH_{3(g)} = 3Cu_{(s)} + 3H_2O_{(l)} + N_{2(g)}$ 
  - (ii)  $2NH_{3(g)} + 3CI_{2(g)} = 6HCI_{(g)} + N_{2(g)}$
  - (iii)  $4NH_{3(g)} + 3O_{2(g)} = 6H_2O_{(I)} + 2N_{2(g)}$ .

The reactions represented by the equations above demonstrate the

- A. basic properties of ammonia
- B. acidic properties of ammonia
- C. reducing properties of ammonia
- D. oxidizing properties of ammonia
- 25. The salt that reacts with dilute hydrochloric acid to produce a pungent smelling gas which decolourizes acidified purple potassium tetraoxomanganate (VII) solution is
  - A. Na<sub>2</sub>SO<sub>4</sub>
  - B. Na<sub>2</sub>SO<sub>3</sub>
  - C. Na<sub>2</sub>S
  - D. Na<sub>2</sub>CO<sub>3</sub>

- 26. The refreshing and characteristic taste of soda water and other soft drinks is as a result of the presence in them of
  - A. carbon (IV) oxide
  - B. carbon (II) oxide
  - C. soda
  - D. glucose
- 27. Which of the following are mixtures? i. Petroleum ii. Rubber latex. iii. Vulcanizer's solution iv. Carbon (II) sulphide
  - A. i, ii and iii
  - B. i, ii and iv
  - C. i and ii only
  - D. i and iv.
- 28.A balanced chemical equation obeys the law of
  - A. conservation of mass
  - B. definite proportions
  - C. multiple proportions
  - D. conservation of energy
- 29.A given amount of gas occupies 10.0 dm<sup>3</sup> at 4 atm and 273°C. The number of moles of the gas present is
  - A. 0.89 mol
  - B. 1.90 mol
  - C. 3.80 mol
  - D. 5.70 mol

[Molar volume of a gas at stp. = 22.4 dm<sup>3</sup>]

- 30.According to Charles' law, the volume of a gas becomes zero at
  - A. 0°C
  - B. -100°C
  - C. -273°C
  - D. -373°C
- 31.A substance that is used as a ripening agent for fruits is
  - A. ethene
  - B. propane
  - C. methane
  - D. butane
- 32. The Sulphide which is insoluble in dilute hydrochloric acid is
  - A. FeS


- B. CuS
- C. ZnS
- D. Na<sub>2</sub>S
- 33.What is the PH of 0.001 moldm<sup>-3</sup> solution of the sodium hydroxide?
  - A. 14
  - B. 13
  - C. 12
  - D. 11
- 34. The type of bonding in  $[Cu(NH_3)_4]^{2+}$  is
  - A. coordinate
  - B. electrovalent
  - C. metallic
  - D. covalent.
- 35. Which of the following is an example of a chemical change?
  - A. dissolution of salt in water
  - B. rusting of iron
  - C. melting of ice
  - D. separating a mixture by distillation
- 36.To what temperature must a gas at 273K be heated in order to double both its volume and pressure?
  - A. 298K
  - B. 546K
  - C. 819K
  - D. 1092K
- 37. According to the Kinetic Theory, an increase in temperature causes the kinetic energy of particles to:
  - A. decrease
  - B. increase
  - C. be zero
  - D. remain constant
- 38.An element used in the production of matches is
  - A. nitrogen
  - B. aluminium
  - C. copper
  - D. Sulphur
- 39. Which of the following gases may not be dried with concentrated sulphuric acid?
  - A. HCl<sub>(q)</sub>
  - B. NH<sub>3</sub>

- C. CI<sub>2</sub>
- D. SO<sub>2</sub>
- 40. Consecutive members of an alkane homologous series differ by
  - A. CH
  - B. CH<sub>2</sub>
  - C. CH<sub>3</sub>
  - D. CnHn

- **1.** D
- **2.** C
- **3.** D
- **4.** A
- **5.** B
- **6.** D **7.** D
- **8.** D
- **9.** D
- 10.
- 11.
- 12.
- **13**.
- 14. D
- **15**. D 16. В
- **17**. C
- 18. Α
- 19. В
- 20. C
- 21. C
- 22. Α 23. C
- 24. C
- В
- 25.
- 26. Α 27. Α
- 28. Α
- 29. Α
- 30. C
- 31. Α
- 32. D
- 33. D
- 34. Α
- 35. В
- 36. D
- **37.** В
- 38. D
- 39. В
- В 40.

### **UTME 2017 CHEMISTRY QUESTIONS**

- 1. The flame used by welders in cutting metals is
  - A. butane has flame
  - B. acetylene flame
  - C. Kerosene flame
  - D. Oxy-acetylene flame.
- 2. At room temperature (300k) in fig 1
  - A. Y is twice as soluble as X.
  - B. X is twice as soluble as y
  - C. X and Y are soluble to the same extent
  - D. X is three times as soluble as Y



3.

Tetraoxosulphate(vi)acid is prepared using the chemical reaction  $SO_{3(g)} + H_2O_{(s)} \rightarrow H_2SO_{4(l)}$ . Given the heats of formation for  $SO_{3(g)}$ ,  $H_2O_{(l)}$  and  $H_2SO_{4(l)}$  as -395KJmol<sup>-1</sup>, -286KJmol<sup>-1</sup> and -811KJmol<sup>-1</sup> respectively, the enthalpy change accompanying this reaction is

- A. -1032KJ
- B. -130KJ
- C. +130KJ
- D. +1032KJ.
- 4. In two separate experiments 0.36g and 0.71g of chlorine combined with a metal X to give Y and Z, an analysis showed that Y and Z contain 0.20g and 0.40g of X respectively. The data above represents the law of
  - A. multiple proportion
  - B. conservation of mass
  - C. constant composition
  - D. reciprocal proportion.

5. If an element x of atomic number z and mass number y is irradiated by an intense concentration of neutrons, the relevant nuclear equation is

A. 
$$_{z}^{y}x + _{0}^{1}n \rightarrow _{z+1}^{y-1}x$$

B. 
$$_{z}^{y}x + _{0}^{1}n \rightarrow _{z}^{y+1}x$$

C. 
$$_{z}^{y}x + _{0}^{1}n \rightarrow _{z+1}^{y}x$$

$$D._{z}^{y}x + _{0}^{1}n \rightarrow _{z-1}^{y+1}x$$

- 6. The vapour density of a gas may be defined as
  - A. the mass of a unit volume of the gas compared to an equal volume of water vapour.
  - B. the mass of a unit volume of the gas compared to an equal volume of hydrogen.
  - C. the mass of a unit volume of the gas compared to an equal volume of oxygen.
  - D. The mass of a unit volume of the gas minus the vapour pressure of water.
- 7. 30cm³ of oxygen at 10 atmosphere pressure is placed in a 20dm³ container. Calculate the new pressure if temperature is kept constant.
  - A. 6.7 atm
  - B. 15.0 atm
  - C. 60.0 atm
  - D. 66.0 atm
- 8. A liquid begins to boil when
  - A. its vapour pressure is equal to the vapour pressure of its solid at the given temperature
  - B. molecules start escaping its surface
  - C. its vapour pressure equals the atmospheric pressure
  - D. its volume is slightly increased.
- 9. Four elements W, X, Y and Z have atomic numbers 2, 6, 16 and 20 respectively. Which of these elements is a metal?
  - A. X
  - B. W

- C. Z
- D. Y
- 10. When cathode rays are deflected unto the electrode of an electrometer, the instrument becomes
  - A. negatively charged
  - B. positively charged
  - C. neutral
  - D. bipolar
- 11. When large hydrocarbon molecules are heated at high temperature in the presence of a catalyst to give smaller molecules, the process is known as
  - A. disintegration
  - B. Polymerization
  - C. cracking
  - D. degradation
- 12.If concentrated sulphuric acid is added to sugar and warmed gently, the sugar changes from white to brown and finally to a black mass of carbon. In this reaction, concentrated sulphuric acid is acting as
  - A. a drying agent
  - B. an oxidizing agent
  - C. a dehydrating agent
  - D. a reducing agent.
- 13. Smoke consists of
  - A. solid particles dispersed in liquid
  - B. solid or liquid particles dispersed in gas
  - C. gas or liquid particles dispersed in liquid.
  - D. Liquid particles dispersed in liquid.
- 14.In the electrolysis of dilute sulphuric acid using platinum electrodes, the products obtained at the anode and cathode are: anode cathode

	sulphur hydrogen	hydrogen Oxygen
C.	oxygen	hydrogen
D.	hydrogen	sulphate ions

- 15. $P_{(g)} + Q_{(g)} \subseteq 3R_{(s)} + S_{(g)} \Delta H$  is negative. Which of the following will increase the yield of R?
  - A. using a larger closed vessel?
  - B. increasing the temperature.
  - C. Removing some **S**
  - D. Adding a positive catalyst
- 16. The mass of silver deposited when a current of 10A passed through a solution of silver salt for 4830s is
  - A. 108.0g
  - B. 54.0g
  - C. 27.0g
  - D. 13.5g
- $17.CO_{(g)} + H_2O_{(g)} \rightarrow CO_{2(g)} + H_{2(g)}$  from the reaction above, calculate the standard heat change if the standard enthalpies of formation of  $CO_{2(g)}$ ,  $H_2O_{(g)}$  and  $CO_{2(g)}$  in KJmol<sup>-1</sup> are -394, -242 and -110 respectively.
  - A. -282KJmol<sup>-1</sup>
  - B. -42KJmol<sup>-1</sup>
  - C. +42KJmol<sup>-1</sup>
  - D. +262KJmol<sup>-1</sup>
- 18.If the electron configuration of an element is 1S<sup>2</sup>2S<sup>2</sup>2p<sup>5</sup>, how many unpaired electrons are there?
  - A. 2
  - B. 5
  - C. 1
  - D. 4
- 19. Which of the following gases can best be used for demonstrating the fountain experiment? (i) Nitrogen (ii) Ammonia (iii) Nitrogen(i)oxide (iv) Hydrogen chloride
  - A. (ii) and (iii)
  - B. (i) and (iii)
  - C. (ii) and (iv)
  - D. (ii) only
- 20. The coloured nature of transition metal ions are associated with their partially filled
  - A. f-orbital
  - B. S-orbital
  - C. P-orbital

### D. d-orbital

- 21.Which of the following separation processes is most likely to yield high quality ethanol (≥ 95%) from palm wine?
  - A. fractional distillation without a dehydrant
  - B. simple distillation with a dehydrant
  - C. fractional distillation with a dehydrant
  - D. column chromatography
- 22. The products formed on hydrolysis of

- 23.In the reaction:  $3CuO + 2NH_3 \rightarrow 3Cu + 3H_2O + N_2$  how many electrons are transferred for each mole of copper produced?
  - A. 4.0 x 10<sup>-23</sup>
  - B.  $3.0 \times 10^{-23}$
  - C.  $1.2 \times 10^{24}$
  - D.  $6.0 \times 10^{24}$
- 24. The electronic configuration of an element is  $1s^22s^22p^63S^23p6^3$ . How many unpaired electrons are there in the element?
  - A. 5
  - B. 4
  - C. 3
  - D. 2.
- 25.8.0 g of an element X reacted with an excess of copper (II) tetraoxosulphate (VI) solution to deposit 21.3g of copper. The correct equation for the reaction is


$$A. \ X_{(s)} + CuSO_{4(aq)} \rightarrow Cu_{(s)} + XSO_{4(aq)}$$

B. 
$$X_{(s)} + 2CuSO_{4(aq)} \rightarrow 2Cu_{(s)} + X(SO_4)_{2(aq)}$$

C. 
$$2X_{(s)} + CuSO_{4(aq)} \rightarrow Cu_{(s)} + X_2SO_{4(aq)}$$

D. 
$$2X_{(s)} + 3CuSO_{4(aq)} \rightarrow 3Cu_{(s)} + X_2(SO_4)_{3(aq)}$$
[Cu = 64].


- A. The coke is a powerful reducing agent and easily converts the iron oxide to iron.
- B. The calcium carbonate reacts with  $SiO_2$ , an earthly impurity in the ore, to form calcium silicate
- C. The coke will react with the iron produced to form steel
- D. The calcium carbonate decomposes to give calcium oxide, which then forms calcium silicate with the earthly impurity.



The electrons of two atoms Y and Z are arranged in shells as shown above. The bond formed between the atoms of Y and Z is

- A. ionic
- B. covalent
- C. dative
- D. metallic.
- 28.A gas sample with an initial volume of 3.25 dm³ is heated and allowed to expand to 9.75 dm³ at constant pressure. What is the ratio of the final absolute temperature to the initial absolute temperature?
  - A. 3:1
  - B. 5:2

- C. 5:4
- D. 8:3
- 29. The chemical used for coagulation in water purification is
  - A. aluminium tetraoxosulphate (VI)
  - B. copper tetraoxosulphate (VI)
  - C. sodium tetraoxosulphate (VI)
  - D. calcium tetraoxosulphate (VI)
- 30.A liquid that will dissolve fat is
  - A. hydrochloric acid
  - B. calcium hydroxide
  - C. kerosene
  - D. water
- 31. When air, which contains the gases: oxygen, nitrogen. carbon dioxide, water vapour and the rare gases, is passed through alkaline pyrogallol and then over quicklime, the only gases left are:
  - A. nitrogen and carbon dioxide
  - B. the rare gases
  - C. nitrogen and oxygen
  - D. nitrogen and the rare gases
- 32. The number of atoms in one mole of a substance is equal to
  - A. the atomic number
  - B. the Avogadro number
  - C. the gas constant
  - D. the number of electrons.
- 33. Which of the following terms indicates the number of bonds that can be formed by an atom?
  - A. Oxidation number
  - B. Valence
  - C. Atomic number
  - D. Electronegativity
- 34. The structural formula of ethanoic acid is



- 35.Environmental pollution is worsened by the release from automobile exhausts of
  - A. water vapour

- B. steam
- C. smoke
- D. heavy metals
- 36.What volume of 0.5 mol dm $^{-3}$  H $_2$ SO $_4$  will exactly neutralize 20cm $^3$  of 0.1 mol dm $^{-1}$  NaOH solution?
  - A. 2.0 cm<sup>3</sup>
  - B. 5.0 cm<sup>3</sup>
  - C. 6.8 cm<sup>3</sup>
  - D. 8.3 cm<sup>3</sup>
- 37. Which of the following is an electrolyte?
  - A. Alcohol
  - B. Sodium acetate solution
  - C. Solid potassium in hydroxide
  - D. Mercury
- $\begin{array}{l} 38. Na_2 S_2 O_{3(aq)} + 2 H C I_{(aq)} \rightarrow 2 Na C I_{(aq)} + H_2 O_{(I)} \\ + S O_{2(g)} + S_{(s)} \end{array}$

Which of the following would introduce the greatest increase in the rate of the chemical reaction above?

- A. An increase in temperature and a decrease in the concentration of the reactants.
- B. A decrease in volume and an increase in the pressure of the reactants.
- C. A decrease in temperature and an increase in the concentration of the reactants.
- D. An increase in temperature and an increase in the concentration of the reactants.
- 39. Which of the following substances has the lowest vapour density?
  - A. Ethanoic acid
  - B. Propanol
  - C. Dichloromethane
  - D. Ethanal.

[O= 16, CI = 35.5, H = 1, C = 12]


- 40. The presence of an impurity in a substance will cause the melting point to
  - A. be zero
  - B. reduce
  - C. increase
  - D. be stable

- **1.** D
- **2.** A
- **3.** B
- **4.** C
- **5.** B
- **6.** B
- **7.** B
- **8.** C
- **9.** C
- 10.
- 11.
- **12.**
- 13.
- **14.**
- A C C B C C B**15**.
- **16**.
- В **17.**
- C B **18. 19**.
- 20. D
- 21. B C C C
- 22.
- 23. 24.
- 25.
- A D
- 26.
- **27.** В
- Α 28.
- 29.
- A B 30.
- D B 31.
- **32.**
- 33. В
- 34. D С **35.**
- 36.
- A B **37.**
- D 38.
- 39. D
- В 40.

### **UTME 2016 CHEMISTRY QUESTIONS**

- 1. An element X has two isotopes  $^{20}_{10}x$  and  $^{22}_{10}$  present in the ratio 1:3. The relative atomic mass of x would be
  - A. 20.5
  - B. 21.0
  - C. 21.5
  - D. 22.0
- 2. 200cm<sup>3</sup> of oxygen diffuse through a porous plug in 50 seconds. How long, will 80cm<sup>3</sup> of methane (CH<sub>4</sub>) take to diffuse through the same porous plug under the same conditions?
  - A. 40sec
  - B. 20sec
  - C. 14sec
  - D. 7sec
- 3. Which of the following terms indicates the number of bonds that can be formed by an atom?
  - A. oxidation number
  - B. Valence
  - C. Atomic number
  - D. Electronegativity

4.



The diagram above represents an atom of

- A. magnesium
- B. helium
- C. chlorine
- D. neon
- 5. Which of the following gases is the most dangerous pollutant?
  - A. Hydrogen sulphide.
  - B. Carbon Monoxide
  - C. Sulphur(iv)oxide
  - D. Carbon Dioxide
- 6. A Side effect or Soft water is that.
  - A. It gives offensive taste
  - B. excess calcium is precipitated
  - C. it attacks lead contained in pipes


- D. it encourages the growth of bacteria.
- 7. Farmlands affected by crude oil spillage can be decontaminated by
  - A. adding acidic solutions
  - B. using aerobic bacteria
  - C. pouring water on the affected area
  - D. burning off the oil from the area.
- 8. Which of the following functional groups will give gas bubbles when treated with a saturated solution of sodium hydrogen trioxocarbonate(iv)?

A.  $-NH_3$ 



- C. -OH
- D. >C = 0
- 9. The oxidation state of Cr in K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> is
  - A. +7
  - B. +6
  - C. +5
  - D. 4
- $10.2Na_2O_{2(s)}+2H_2O_{(I)}\rightarrow 4Na0H_{(s)}+O_2.$  The substance that is oxidized in the reaction above is
  - A.  $2Na_2O_{2(s)}$
  - B. NaOH<sub>(aq)</sub>
  - c.  $H_2O_{(I)}$
  - D.  $O_{2(g)}$

11.



- **Z** in diagram above represents
- A. heat of reaction
- B. activation energy

- C. free energy
- D. entropy of reaction
- 12. The nucleus of an atom contains
  - A. protons only
  - B. neutrons only
  - C. protons and electrons
  - D. protons and neutrons
- 13. Which of the following does NOT happen when a Zinc rod is introduced into a solution of Copper(II) sulphate?
  - A. Electrons flow towards the zinc rod
  - B. The Zinc rod dissolves
  - C. The temperature of the soil chances
  - D. The blue colour of the solution gradually disappears.
- 14. Which of the following statements is correct during the electrolysis of a caustic soda solution using platinum electrodes?
  - A. Oxygen gas is given off at the cathode
  - B. Hydrogen gas is given off at the anode
  - C. Sodium metal is deposited at the cathode
  - D. Alkalinity at the cathode increases.
- 15. Which of the following statements is **INCORRECT**?
  - A. Fractional distillation of crude petroleum will give the following hydrocarbon fuels in order of increasing boiling point. Butane < Petrol < Kerosene
  - B.  $H_2C = CH_2$  will serve as a monomer in the preparation of polythene
  - C. both but-i-ene and but-i-yne will decolourize bromine readily
  - D. Calcium carbide will react with water to form any alkyne
- 16. The iron(iii) oxide impurity in bauxite can be removed by
  - A. fractional crystallization in acid solution
  - B. dissolution in sodium hydroxide and filtration
  - C. extraction With concentrated ammonia and reprecipitation
  - D. electrolysis of molten mixture

- 17. Aluminium is extracted commercially from its ore by
  - A. heating aluminium oxide with coke in a furnace
  - B. the electrolysis of fused aluminium oxide in cryolite
  - C. treating cryolite with sodium hydroxide solution under pressure.
  - D. heating sodium aluminium silicate to a high temperature.
- 18. Which of the following compounds gives a yellow residue when heated and also reacts with aqueous sodium hydroxide to give a white gelatinous precipitate soluble in excess sodium hydroxide solution?
  - A. (NH<sub>4</sub>)<sub>2</sub>CO<sub>3</sub>
  - B. ZnCO<sub>3</sub>
  - C.  $Al_2(SO_4)_3$
  - D. PbCO<sub>3</sub>
- 19. The least easily oxidized of the metals below is
  - A. Cu
  - B. Na
  - C. Zn
  - D. Al
- 20. Which of the following chlorides would exhibit the least ionic character?
  - A. MgCl<sub>2</sub>
  - B. CaCl<sub>2</sub>
  - C. LiCl
  - D. AlCl<sub>3</sub>
- 21. Which of the following CANNOT be obtained by fractional distillation of petroleum?
  - A. Ether
  - B. Methane
  - C. Butane
  - D. Hydrogen
- 22. Which of the following is used as an antiknock in automobile engines?
  - A. tetramethylsilane
  - B. leadtetraethyl
  - C. Glycerol
  - D. n-heptane

- 23. The Avogadro number of 24g of magnesium is the same as that of
  - A. 1g of hydrogen molecules
  - B. 16g of oxygen molecules
  - C. 32g of Oxygen molecules
  - D. 35.5g of chlorine molecules.
- 24.In an electrolyte set-up to protect iron from corrosion, the iron is
  - A. made the cathode
  - B. made the anode
  - C. used with a metal of lower electropositive potential
  - D. initially coated with tin
- 25. The removal of rust from iron by treatment with tetraoxosulphate (vi) acid is based on the
  - A. hydrolysis of the iron
  - B. reaction of acid with base
  - C. oxidation of the rust
  - D. dehydration of the iron.
- 26. The substance often used for vulcanization of rubber is
  - A. Chlorine
  - B. hydrogen peroxide
  - C. Sulphur
  - D. tetraoxosulphate (vi) acid
- 27.Metals of the first transition series have special properties which are different from those of groups I and II elements because they have partially filled.
  - A. s-orbitals
  - B. p-orbitals
  - C. d-orbitals
  - D. f-orbitals
- 28.A particle that contains 11 protons, 12 neutrons and 10 electrons is probably a
  - A. Neutral non-metal
  - B. metallic ion
  - C. non-metallic ion
  - D. neutral metal.
- 29.A catalyst increases the rate of a chemical reaction by providing a path that
  - A. raises the activation energy
  - B. increases the temperature

- C. lowers the activation energy
- D. increases the concentration
- 30.A metal M displaces Zinc from ZnCl<sub>2</sub> solution. This shows that
  - A. electrons flow from Zinc to M
  - B. M is more electropositive than Zinc
  - C. M is more electronegative than Zinc
  - D. Zinc is more electropositive than M.
- 31.Calculate the quantity of electricity in coulombs required to liberate 10g of copper from a copper compound.
  - A. 32395.5
  - B. 30156.3
  - C. 60784.5
  - D. 15196.6

[Cu 64 F = 96500c]

- 32. The IUPAC names for the compounds  $CH_3COOH$  and  $CH_2 = CH_2$  are respectively
  - A. acetic acid and ethane
  - B. ethanoic- acid and ethene
  - C. methanoic acid and ethylene
  - D. ethanol and ethene.
- 33. The boiling point of water is higher than that of methanol because
  - A. water is an oxide while methanol is an alcohol
  - B. inter-molecular forces in water are stronger than those in methanol
  - C. Water is an inorganic compound while methanol is organic
  - D. Water is a compound while methanol is a covalent compound
- 34.If an element x of atomic number Z and mass number y is irradiated by an intense concentration of neutrons, the relevant nuclear equation is

A. 
$${}_{Z}^{Y}x + {}_{0}^{1}n \rightarrow {}_{z+1}^{y-1}x$$

B. 
$${}_{z}^{Y}x + {}_{0}^{1}n \rightarrow {}_{z}^{y+1}x$$

C. 
$${}_{z}^{y}x + {}_{0}^{1}n \rightarrow {}_{z+1}^{y}x$$

D. 
$${}_{Z}^{Y}x + {}_{0}^{1}n \rightarrow {}_{z-1}^{y+1}x$$

- 35. Which combination of the following statements is correct? 1. Lowering the activation energy 2. conducting the reaction in a gaseous state. 3. Increasing the temperature. 4. removing the products as soon as they are formed. 5. Powdering the reactant if solid
  - A. 1. 2 and 3
  - B. 1, 3 and 5
  - C. 2, 3 and 5
  - D. 3 and 4
- 36.An element with atomic number twelve is likely to be
  - A. electrovalent with a valency of 1.
  - B. electrovalent with a valency of 2.
  - C. covalent with a valency of 2.
  - D. covalent with valency of 4.
- 37. Which of the following physical properties decreases across the periodic Table?
  - A. ionization potential
  - B. Electron affinity
  - C. Electronegativity
  - D. Atomic radius.
- 38. If a gas occupies a container of volume 146cm<sup>3</sup> at 18°c and 0.971 atm, its volume in cm3 at s.t.p is
  - A. 133
  - B. 146
  - C. 266
  - D. 292
- 39.50cm<sup>3</sup> of carbon(ii)oxide was exploded with 150cm<sup>3</sup> of air containing 20% oxygen by volume, which of the reactants was in excess?
  - A. Carbon(ii)oxide
  - B. Carbon(iv)oxide
  - C. Oxygen
  - D. Nitrogen
- 40. The formula CH<sub>2</sub>O for ethanoic acid is regarded as its
  - A. molecular formula
  - B. general formula
  - C. empirical formula
  - D. Structural formula


- **1.** C
- **2.** C
- **3.** B
- **4.** A
- **5.** D
- **6.** C
- **7.** A
- **8.** B
- **9.** B
- 10. Α
- 11. Α
- 12. D
- 13. Α
- 14. D **15.** D
- **16.** В
- **17.** В В 18.
- 19. C
- 20. D
- 21. D 22. В
- C 23.
- 24. D
- 25. D
- 26. C
- 27. C
- 28. В 29. C
- 30. В
- 31. D
- 32. В
- 33. В
- В 34.
- В 35.
- 36. В
- **37.** D 38.
- Α
- C 39.
- 40. C

## **UTME 2015 CHEMISTRY QUESTIONS**

- 1. Which of the following statements is correct?
  - A. The average kinetic enemy of a gas is directly proportional to its temperature
  - B. At constant temperature, the volume of a gas increases as the pressure increases.
  - C. The pressure of a gas is inversely proportional to its volume.
  - D. The temperature of gas is directly proportional to its volume.
- 2. Which are the correct IUPAC names for H  $CO_2CH_3$  and CH  $\equiv CH$ 
  - A. Methyl methanoate and ethene
  - B. Metanoic acid and ethyne
  - C. Ethyl methanoate and ethyne
  - D. Methyl methanoate and ethyne
- 3. A solution X on mixing with  $AgNO_3$  solution, gives a white precipitate soluble in  $NH_{3(aq)}$ . A solution Y, when added to X, also gives a white precipitate which is soluble on boiling. Solution Y contains
  - A. Ag<sup>+</sup> ion
  - B. Pb<sup>2+</sup> ion
  - C. Pb<sup>4+</sup> ion
  - D. Zn<sup>2+</sup> ion
- 4. Methane is a member of the homologous series called
  - A. alkenes
  - B. alcohols
  - C. esters
  - D. alkanes
- 5. Which of the following bonds exists in crystalline ammonium chloride (NH<sub>4</sub>CL)?
  - A. ionic covalent
  - B. ionic and co-ordinate
  - C. ionic, covalent and co- ordinate
  - D. covalent, co-ordinate and metallic.
- 6. Some copper (II) sulphate pentahydrate (CuSO<sub>4</sub> 5H<sub>2</sub>O), was heated at 120°C with the following results: Wt of crucible = 10.00 g; Wt of crucible + CuSO<sub>4</sub>.5H<sub>2</sub>O = 14.98g; Wt of crucible + residue = 13.54 g. How many molecules of water of crystallization were lost? [H= 1, Cu = 63.5, O = 16, S = 32]

- A. 1
- B. 2
- C. 3
- D. 4

7.



Which of the curves shown above represents the relationships between the volume (v) and pressure (p) of an ideal gas at constant temperature?

- A. 1
- B. 2
- C. 3
- D. 4
- 12.0g of a mixture of potassium carbonate and potassium chloride were dissolved in a 250cm<sup>3</sup> standard flask. 25cm<sup>3</sup> of this solution required 40.00cm<sup>3</sup> of 0.1 M HCI r neutralization. What is the percentage by weight of = 16, C = 12)? K<sub>2</sub>CO<sub>3</sub> in the mixture (K = 39, O = 16, C = 12)
  - A. 60
  - B. 72
  - C. 82
  - D. 92
- 9. Which of the following, groups of physical properties increases from left to right of the Periodic Table? 1. Ionization energy 2. Atomic radius 3. Electronegativity 4. Electron affinity
  - A. 1 and 2
  - B. 1, 2 and 3
  - C. 3 and 4
  - D. 1,2,3 and 4
- 10.An element Z, contained 90% of  $^{16}_{8}$ Z and 10% of  $^{18}_{8}$ Z. its relative atomic mass is A. 16.0

- B. 16.2
- C. 17.0
- D. 17.8
- 11. What are the possible oxidation numbers for an element if its atomic number is 17?
  - A. -1 and 7
  - B. -1 and 6
  - C. -3 and 5
  - D. -2 and 6
- 12. How many valence electrons are contained in the element represented by <sup>31</sup><sub>15</sub>P?
  - A. 3
  - B. 5
  - C. 15
  - D. 31
- 13.10.0 dm<sup>3</sup> of air containing  $H_2S$  as an impurity was passed through a solution of  $Pb(NO_3)_2$  until all the  $H_2S$  had reacted. The precipitate of PbS was found to weigh 5.02 g. According to the equation:  $Pb(NO_3)_2 + H_2S \rightarrow PbS + 2HNO_3$  the percentage by volume of hydrogen sulphide in the air is
  - A. 50.2
  - B. 47.0
  - C. 4.70
  - D. 0.47
- 14.A quantity of air was passed through a weighed amount of alkaline pyrogallol. An increase in the weight of the pyrogallol would result from the absorption of
  - A. nitrogen
  - B. neon
  - C. argon
  - D. oxygen
- 15. Water for town supply is chlorinated to make it free from
  - A. bad odour
  - B. bacteria
  - C. temporary hardness
  - D. permanent hardness

- 16.4.0 g of sodium hydroxide in 250 cm<sup>3</sup> of solution contains
  - A. 0.40 moles per dm<sup>3</sup>
  - B. 0.10 moles per dm<sup>3</sup>
  - C. 0.04 moles per dm<sup>3</sup>
  - D. 0.02 moles per dm<sup>3</sup>
- 17.A major effect of oil pollution in coastal waters is the
  - A. destruction of marine life
  - B. desalination of the water
  - C. increase in the acidity of the water
  - D. detoxification of the water
- 18.In general, an increase in temperature increases the solubility of a solute in water because
  - A. more solute molecules collide with each other
  - B. most solutes dissolve with the evolution of heat
  - C. more solute molecules dissociate at higher temperatures
  - D. most solutes dissolve with absorption of heat.
- 19. The relatively high boiling points of alkanols are due to
  - A. ionic bonding
  - B. aromatic character
  - C. covalent bonding
  - D. hydrogen bonding.
- 20. Given that 15.00 cm<sup>3</sup> of H<sub>2</sub>SO<sub>4</sub> was required to completely neutralize 25.00 cm<sup>3</sup> of 0.125 mol dm<sup>3</sup> NaOH, calculate the molar concentration of the acid solution
  - A. 0.925 mol dm<sup>3</sup>
  - B. 0.156 mol dm<sup>3</sup>
  - C. 0.104 mol dm<sup>3</sup>
  - D. 0.023 mol dm<sup>3</sup>
- 21.What volume of 0.1 mol dm³ solution of tetraoxosulphate (VI) acid would be needed to dissolve 2.86g of sodium trioxocarbonate (IV) decahydrate crystals?
  - A. 20cm<sup>3</sup>
  - B. 40cm<sup>3</sup>
  - C. 80cm<sup>3</sup>

- D. 100cm<sup>3</sup> [H = 1, C = 12, O = 16, S= 32, Na 23].
- 22. The solution with the lowest pH value is
  - A. 5 ml of  $^{M}/_{10}$  HCL
  - B. 10 ml of M/10 HCL
  - C. 15 ml of  $M/_{5}$  HCL
  - D. 20 ml of M/8 HCL
- 23.In which order are the following salts sensitive to light?
  - A. Agl > AgCl > AgBr
  - B. AgCl> Agl > AgBr
  - C. AgBr > AgCI > AgI
  - D. AgCI > AgBr > AgI
- 24.A metal m displaces Zinc from Zinc chloride solution. This shows that
  - A. M is more electronegative than Zinc
  - B. Zinc is above hydrogen in the series.
  - C. M is more electropositive than zinc.
  - D. electrons flow from zinc to m.
- 25.Steam changes the colour of anhydrous cobalt (II) chloride from
  - (A)blue to pink
  - (B) white to red
  - (C)white to green
  - (D) blue to white
- 26. When at equilibrium, which of the reactions below will shift to the right if the pressure is increased and the temperature is kept constant?
  - A.  $2SO_{3(g)} === 2SO_{2(g)} + O_{2(g)}$
  - B.  $2CO_{2(g)} = = = 2CO_{(g)} + O_{2(g)}$
  - C.  $2H_{2(g)} + O_{2(g)} = = 2H_2O_{(g)}$
  - D.  $2NO_{(g)} = = = N_{2(g)} + O_{2(g)}$
- $27.2\text{CO}_{(g)} + \text{O}_{2(g)} \rightarrow 2\text{Co}_{2(g)}$ Given that  $\Delta \text{H [CO]}$  is -110.4 kJmol<sup>-1</sup> and  $\Delta \text{H [CO}_2$ ] is -393.0 kJmol<sup>-1</sup>, the energy change for the reaction above is
  - A. -503.7 kJ
  - B. -282.6 kJ
  - C. +282.6 kJ
  - D. +503.7 kJ
- 28. Which of these properties gives a solid its definite shape?

- A. Strong intermolecular attraction
- B. High melting point
- C. High boiling point
- D. Weak intermolecular attraction
- 29. When a crystal was added to the clear solution of its salt, the crystal did not dissolve and the solution remained unchanged. This showed that the solution was
  - A. supersaturated
  - B. concentrated
  - C. unsaturated
  - D. saturated
- 30.If the electron configuration of an element is 1s<sup>2</sup>2s<sup>2</sup>2p<sup>5</sup>, how many unpaired electrons are there?
  - A. 2
  - B. 5
  - C. 1
  - D. 4
- 31. The substance that is used in the steel industry for the removal of carbon, sulphur and phosphorus impurities from pig iron is
  - A. oxygen
  - B. chlorine
  - C. nitrogen
  - D. hydrogen
- 32. Hydrogen sulphide gas can act as
  - A. an oxidizing agent
  - B. a dehydrating agent
  - C. a bleaching agent
  - D. a precipitating agent.
- 33. Which of the following is used as a rocket fuel?
  - A. HNO<sub>3</sub>
  - B. CH<sub>3</sub>COOH
  - C. H<sub>2</sub>SO<sub>4</sub>
  - D. HCI.
- 34. The bleaching action of chlorine is effective due to the presence of
  - A. Hydrogen chloride
  - B. Water
  - C. Air
  - D. Oxygen

- 35. Mineral acids are usually added to commercial hydrogen peroxide to
  - A. Oxidize it
  - B. decompose it
  - C. minimize its decomposition
  - D. reduce it to water and oxygen.
- 36.Aluminium containers are frequently used to transport trioxonitrate (v) acid because aluminium
  - A. has a low density
  - B. does not react with the acid
  - C. does not corrode
  - D. has a silvery white appearance
- 37. Ethyne is passed through a hot tube containing organo-nickel catalyst to produce
  - A. Isoprene
  - B. polythene
  - C. ethanol
  - D. benzene
- 38. The process of converting starch to ethanol is
  - A. cracking
  - B. distillation
  - C. fermentation
  - D. oxidation
- 39.An endothermic reaction is one during which heat is \_\_\_\_\_and can be represented by the symbol\_\_\_\_. Which of the following combinations can be used accurately to complete the above definition?
  - A. liberated  $-\Delta H$
  - B. liberated  $+\Delta H$
  - C. absorbed -∆H
  - D. absorbed  $+\Delta H$
- 40.Consider the following exothermic reaction  $2SO_{2(g)} + O_{2(g)} = 2SO_{3(g)}$ . If the temperature of the reaction is reduced from  $800^{\circ}$ C to  $500^{\circ}$ C, and no other change takes place, then
  - A. the reaction rate increases
  - B. concentration of SO<sub>2</sub> decreases
  - C. concentration of SO<sub>2</sub> increases
  - D. SO<sub>2</sub> gas becomes unreactive

#### **ANSWER KEYS:**

- 1. A
- **2.** D
- **3.** B
- **4.** D
- **5.** C **6.** D
- **7** C
- **7.** C
- **8.** D **9.** C
- 9. C
- **10.** B
- **11.** A
- **12.** B
- **13.** C **14.** D
- **15.** B
- **16.** A
- **17.** C
- **18.** C
- **19.** D
- **20.** C **21.** D
- **22.** D
- **23.** D
- **24.** C
- **25.** A
- **26.** C

27.

**28.** A

В

- **29.** D
- **30.** C
- **31.** A
- **32.** D
- **33.** A
- **34.** B
- **35.** C B
- **37.** D
- **38.** C
- **39.** D
- **40.** C

### **UTME 2014 CHEMISTRY QUESTIONS**

#### **PAPER TYPE: E**

- 1. Which Question Paper Type of Chemistry is given to you?
  - A. Type F
  - B. Type E
  - C. Type L
  - D. Type S
- 2. A mixture is different from a compound because
  - A. the properties of a compound are those of its individual constituents while those of a mixture differ from its constituents
  - B. a mixture is always homogeneous while a compound is not
  - C. the constituent of a compound are chemically bound together while those of a mixture are not
  - D. a mixture can be represented by a chemical formula while a compound cannot
- 3. What is the percentage of sulphur in sulphur (IV) oxide?
  - A. 66%
  - B. 25%
  - C. 40%
  - D. 50%
- A gas X diffuses twice as fast as gas Y. if the relative molecular mass of X is 32, calculate the relative molecular mass of Y.
  - A. 128
  - B. 8
  - C. 16
  - D. 64
- 5. 200 cm³ of a gas at 25°C exerts a pressure of 700 mmHg. Calculate its pressure if its volume increases 350 cm³ at 75°C.
  - A. 342.53 mmHg
  - B. 1430.54 mmHg
  - C. 467.11 mmHg
  - D. 400.00 mmHg
- 6. An element X has electron configuration 1s<sup>2</sup> 2s<sup>2</sup> 2p<sup>6</sup> 3s<sup>2</sup> 3p<sup>5</sup>. Which of the

- following statements is correct about the element?
- A. It has a completely filled p-orbital
- B. It has 5 electrons in its outermost shell.
- C. It belongs to group II on the periodic table
- D. It is a halogen
- 7. Beryllium and aluminium have similar properties because they
  - A. are both metals
  - B. belong to the same group
  - C. belong to the same period
  - D. are positioned diagonally to each other
- 8. If the difference in electronegativity of elements P and Q is 3.0. The bond that will be formed between them is
  - A. metallic
  - B. covalent
  - C. co-ordinate
  - D. ionic
- 9. How many protons, neutrons and electrons respectively are present in the element  $^{69}_{27}$ Co?
  - A. 27, 33 and 33
  - B. 33, 27 and 27
  - C. 27, 33, and 27
  - D. 60, 33 and 60
- 10. The radioactive radiation used in studying the arrangement of particles in giant organic molecules is
  - A. γ- rays
  - B. a- particles
  - C. X- rays
  - D. β particles
- 11.A silicon-containing ore has 92% <sup>28</sup>Si, 5% <sup>29</sup>Si and 3% <sup>30</sup>Si. Calculate the relative atomic mass of the silicon.
  - A. 14.00
  - B. 29.00
  - C. 28.11
  - D. 28.00
- 12. The nitrogen obtained from air has a density higher than the one from

nitrogen-containing compounds because the one from air is contaminated with

- A. water vapour
- B. oxygen
- C. rare gases
- D. carbon (IV) oxide
- 13. Water is said to be temporarily hard when it contains
  - A. Ca(HCO<sub>3</sub>)<sub>2</sub> and Mg(HCO<sub>3</sub>)<sub>2</sub> salts
  - B. Ca(HCO<sub>3</sub>)<sub>2</sub> and CaCO<sub>3</sub> salts
  - C. Mg(HCO<sub>3</sub>)<sub>2</sub> and CaSO<sub>4</sub> salts
  - D. CaSO<sub>4</sub> and Ca(HCO<sub>3</sub>)<sub>2</sub> salts
- 14.On exposure to the atmosphere, a hydrated salt loses its water of crystallization to become anhydrous. This phenomenon is referred to as
  - A. efflorescence
  - B. deliquescence
  - C. hygroscopy
  - D. hydrolysis
- 15.16.55g of lead (II) trioxonitrate (V) was dissolved in 100g of distilled water at 20°C, calculate the solubility of the solute in moldm<sup>-3</sup>

$$[Pb = 207, N = 14, O = 16]$$


- A. 0.05 g
- B. 2.00 g
- C. 1.00 g
- D. 0.50 g
- 16.The dispersion of a liquid in a liquid medium will give
  - A. an emulsion
  - B. a fog
  - C. a gel
  - D. an aerosol
- 17. The major and most effective way of controlling pollution is to
  - A. improve machinery so that the substances released from combustion are less harmful
  - B. pass strict laws against it by individuals and companies
  - C. educate people on the causes and effects of pollution

- D. convert chemical wastes to harmless substances before releasing them into the environment
- 18. The basicity of CH<sub>3</sub>COOH is
  - A. 4
  - B. 1
  - C. 2
  - D. 3
- 19. The colour of litmus in a neutral medium is
  - A. purple
  - B. pink
  - C. yellow
  - D. orange
- 20. The mathematical expression of PH is
  - A. log <sub>10</sub>[OH<sup>-</sup>]
  - B.  $\log_{10} \frac{1}{H_3 O^+}$
  - C. log<sub>10</sub>[H<sub>3</sub>O<sup>+</sup>]
  - D.  $\log_{10} \frac{1}{[OH^{-}]}$
- 21. Which of the following salts will turn blue litmus red?
  - A. Sodium tetrahydroxozincate (II)
  - B. Potassium hydrogentetraoxosulphate (IV)
  - C. Sodium trioxocarbonate (IV)
  - D. Zinc chloride hydroxide
- $22.Zn_{(s)} + CuSO_{4(aq)} \rightarrow ZnSO_{4(aq)} + Cu_{(s)}$ In the reaction above, the oxidation number of the reducing agent changes from
  - A. 0 to + 4
  - B. 0 to + 2
  - C. + 1 to + 2
  - D. + 1 to + 3
- $23.H_2O_{(g)}\,+\,C_{(s)}\to H_{2(g)}\,+\,CO_{(g)}$

The oxidizing agent in the reaction above is

- A. CO<sub>(q)</sub>
- B. C<sub>(s)</sub>
- C.  $H_2O_{(q)}$
- D. H<sub>2(g)</sub>


- 24.Calculate the quantity of electricity in coulombs required to liberate 10g of copper from a copper compound [Cu=64, F = 96500 Cmol<sup>-1</sup>]
  - A. 32395.5
  - B. 30156.3
  - C. 60784.5
  - D. 15196.5
- 25. How many faraday of electricity is required to produce 0.25 mole of copper?
  - A. 1.00F
  - B. 0.01F
  - C. 0.05F
  - D. 0.50F



- **Z** in diagram above represents
- A. heat of reaction
- B. activation energy
- C. free energy
- D. entropy of reaction
- 27.If the change in free energy of a system is -899 Jmol<sup>-1</sup> and the entropy change is 10Jmol<sup>-1</sup>k<sup>-1</sup> at 25°C, calculate the enthalpy change.
  - A. +2081 Jmol<sup>-1</sup>
  - B. -2081 Jmol<sup>-1</sup>
  - C. -649 Jmol<sup>-1</sup>
  - D. +649 Jmol<sup>-1</sup>
- 28.In an equilibrium reaction, which of the following conditions indicates that maximum yield of the product will be obtained?


- A. Equilibrium constant is very large
- B.  $\Delta H T\Delta S = 0$
- C.  $\Delta H > T \Delta S$
- D. Equilibrium constant is less than zero
- 29.In a chemical reaction, the change in concentration of a reactant with time is
  - A. entropy of reaction
  - B. enthalpy of reaction
  - C. rate of reaction
  - D. order of reaction
- $30.Cr_2O_{7(aq)}^{2-}$  + H  $_2O_{(I)} \rightleftharpoons 2CrO_{4(aq)}^{2-}$  +  $2H_{(aq)}^+$  What happens to the reaction above when the hydrogen ion concentration is increased?
  - A. more of the products will be formed
  - B. the reaction will not proceed
  - C. the equilibrium position will shift to the right
  - D. the equilibrium position will shift to the left.
- 31. Which of the following will liberate hydrogen from dilute tetraoxosulphate (VI) acid?
  - A. Lead
  - B. Magnesium
  - C. Copper
  - D. Gold

# Use the diagram below to answer question 32 and 33.



- 32.In the diagram, the function of the concentrated H<sub>2</sub>SO<sub>4</sub> is to
  - A. purify the gas
  - B. dry the gas
  - C. liquefy the gas
  - D. remove odour
- 33. The gas that is removed by the water in the flask is

- A. O<sub>2</sub>
- B. SO<sub>2</sub>
- C. HCI.
- D. H<sub>2</sub>
- 34. Fluorine does not occur in the free state in nature because
  - A. it is a poisonous gas
  - B. it belongs to the halogen family
  - C. it is inert
  - D. of its high reactivity
- 35.In the extraction of sodium from fused sodium chloride, the anode is made of platinum because
  - A. sodium is formed at the anode
  - B. chlorine is formed at the anode
  - C. sodium does not react with platinum
  - D. chlorine does not react with platinum
- 36.A compound that gives a brick-red colour to a non-luminous flame is likely to contain
  - A. copper ions
  - B. sodium ions
  - C. calcium ions
  - D. aluminium ions
- 37.In the electrolytic extraction of calcium from calcium chloride, the cathode is
  - A. zinc
  - B. graphite
  - C. platinum
  - D. iron
- 38.A few drops of NaOH solution was added to an unknown salt forming a white precipitate which is insoluble in excess solution. The cation likely present is
  - A. Zn<sup>2+</sup>
  - B. Pb<sup>2+</sup>
  - C. Ca<sup>2+</sup>
  - D. Al<sup>3+</sup>
- 39. The general formula of haloalkanes where X represents the halide is
  - A.  $C_nH_{2n-1}X$ .
  - B.  $C_nH_{2n}X$ .
  - C.  $C_nH_{2n+2}X$
  - D.  $C_nH_{2n+1}X$



The IUPAC nomenclature of the compound above is

- A. 2-bromo-3-chlorobutanol
- B. 3-bromo-2-chlorobutanol
- C. 3-chloro-2-bromobutanol
- D. 2-chloro-3-bromobutanol
- 41. The alkanol obtained from the production of soap is
  - A. propanol
  - B. ethanol
  - C. glycerol
  - D. methanol
- 42. Ethyne is passed through a hot tube containing organo-nickel catalyst to produce
  - A. isoprene
  - B. polythene
  - C. ethanol
  - D. benzene
- 43. Due to the unstable nature of ethyne, it is stored by dissolving in
  - A. ethane-1,2-diol
  - B. propanol
  - C. ethanoic acid
  - D. propanone
- 44. The process of converting starch to ethanol is
  - A. cracking
  - B. distillation
  - C. fermentation
  - D. oxidation
- 45. The polymer used in making car rear lights is
  - A. Perspex
  - B. Bakelite

- C. polystyrene
- D. polyacrylonitrile
- $46.CH_3COOC_2H_{5(I)} + H_2O_{(I)} \rightleftharpoons CH_3COOH_{(aq)} +$  $C_2H_5OH_{(aq)}$

The purpose of H<sup>+</sup> in the reaction above

- A. increase the yield of products
- B. maintain the solution at a constant PH
- C. increase the rate of the hydrolysis
- D. decrease the rate of the reverse reaction
- 47.A hydrocarbon has an empirical formula CH and a vapour density of 39. Determine its molecular formula.

[C = 12, H = 1]

- A.  $C_2H_6$
- B. C<sub>3</sub>H<sub>8</sub>
- C. C<sub>3</sub>H<sub>4</sub>
- D.  $C_6H_6$
- 48. Polystyrene is widely used as packaging materials for fragile objects during transportation because of its
  - A. lightness
  - B. low density
  - C. high density
  - D. high compressibility
- 49. The process of converting linear alkanes to branched chain and cyclic hydrocarbons by heating in the presence of a catalyst to improve the quality of petrol is referred to as
  - A. refining
  - B. cracking
  - C. reforming
  - D. blending
- 50. The petroleum fraction that is used in heating furnaces in industries is
  - A. diesel oil
  - B. gasoline
  - C. kerosene
  - D. lubricating oil

### **ANSWER KEYS:**

- **1.** B
- **2.** C

- **3.** D
- **4.** A
- **5.** C
- **6.** D
- **7.** A
- **8.** D
- **9.** C
- 10. C
- 11. D C **12**.
- **13**. Α
- 14. Α
- **15.** No Answer
- **16.** C
- C **17.**
- 18. В
- 19. В
- 20. В 21. В
- 22. В
- 23. C
- 24. В
- 25. D
- 26. A 27.
- Α 28. Α
- 29. C
- 30. D
- 31. В 32. В
- C 33.
- 34. D
- C 35. 36. C
- D **37.**
- C 38.
- 39. D
- 40. D
- 41. C
- D 42.
- D C 44.

43.


- 45. D
- 46. Α
- 47. D
- 48. В
- C 49.
- **50.** Α

### **UTME 2013 CHEMISTRY QUESTIONS**

# **UTME 2013 CHEMISTRY QUESTION PAPER TYPE: I**

- 1. Which Question Paper Type of Chemistry is given to you?
  - A. Type D
  - B. Type I
  - C. Type B
  - D. Type U
- 2. The presence of an impurity in substance will cause the melting point to
  - A. be zero
  - B. reduce
  - C. increase
  - D. be stable
- 3. What volume of carbon (II) oxide is produced by reacting excess carbon with 10 dm<sup>3</sup> of oxygen?
  - A. 5 dm <sup>3</sup>
  - B. 20 dm <sup>3</sup>
  - C. 15 dm <sup>3</sup>
  - D. 10 dm <sup>3</sup>

4.



From the diagram above, an ideal gas is represented by

- A. M
- B. N
- C. K
- D. L
- 5. The rate of diffusion of a gas Y is twice that of Z If the relative molecular mass of Y is 64 and the two gases diffuse under the same conditions, find the relative molecular mass of Z
  - A. 32
  - B. 4
  - C. 8
  - D. 16

- 6. The radioisotope used in industrial radiography for the rapid checking of faults in welds and casting is
  - A. Carbon-14
  - B. phosphorus-32
  - C. cobalt-60
  - D. iodine-131
- 7. How many unpaired electrons are in the p-orbitals of a fluorine atom?
  - A. 3
  - B. 0
  - C. 1
  - D. 2
- 8. The radioactive emission with the least ionization power is
  - A. a-particles
  - B. X-rays
  - C. γ-rays
  - D. β-particles
- The shape of the carbon (IV) oxide molecule is
  - A. pyramidal
  - B. linear
  - C. angular
  - D. tetrahedral
- 10. Which of the following molecules is held together by hydrogen bond?
  - A. CH<sub>4</sub>
  - B. HBr
  - C. H<sub>2</sub>SO<sub>4</sub>
  - D. HF
- 11. The bond formed between two elements with electron configurations

 $1s^2 2s^2 2p^6 3s^2$  and  $1s^2 2s^2 2p^4$  is

- A. metallic
- B. covalent
- C. dative
- D. ionic
- 12. The constituent of air that acts as a diluent is
  - A. nitrogen
  - B. carbon (IV) oxide
  - C. noble gases
  - D. oxygen

- 13.Steam changes the colour of anhydrous cobalt (II) chloride from
  - A. white to red
  - B. blue to white
  - C. blue to pink
  - D. white to blue
- 14.An example of a hygroscopic substance is
  - A. CuO<sub>(S).</sub>
  - B. MgCL<sub>2(S).</sub>
  - C. CaCL<sub>2(S).</sub>
  - D. NaOH<sub>(S)</sub>.
- 15.If 24.4 g of lead (II) trioxonitrate (V) were dissolved in 42 g of distilled water at 20°C; calculate the solubility of the solute in gdm<sup>-3</sup>.
  - A. 581.000.
  - B. 0.581
  - C. 5.810
  - D. 58.100
- 16. The solvent used for removing grease stain is
  - A. turpentine
  - B. ammonia solution
  - C. ethanol
  - D. solution of borax in water
- 17.In a water body, too much sewage leads to
  - A. a decrease in the temperature of the water which cause in death of aquatic animals
  - B. an increase in the number of aquatic animals in the water
  - C. an increase in the bacterial population which reduces the level of oxygen in the water
  - D. a decrease in the bacterial population which increases the level of oxygen in the water
- 18.10.0 dm<sup>3</sup> of water was added to 2.0 mol dm<sup>-3</sup> of 2.5dm<sup>3</sup> solution of HCl. What is the concentration of the final solution in mol dm<sup>-3</sup>?
  - A. 0.4
  - B. 8.0

- C. 2.0
- D. 0.5
- 19. Three drops of a 1.0 mol dm<sup>-3</sup> solution of HCl was added to 20 cm<sup>3</sup> of a solution of pH6.4. The pH of the resulting solution will be
  - A. close to that of pure water
  - B. less than 6.4
  - C. greater than 6.4
  - D. unaltered
- 20. Which of the following substances is not a salt?
  - A. Aluminium oxide
  - B. Sodium hydrogentrioxosulphate (V)
  - C. Sodium trioxocarbonate (V)
  - D. Zinc chloride
- 21.An insoluble salt can be prepared by
  - A. the reaction of trioxocarbonate (V) with an acid
  - B. double decomposition
  - C. the action of dilute acid on an insoluble base
  - D. the reaction of metals with an acid
- 22.2H<sub>2</sub>O <sub>(I)</sub> + 2F<sub>2(g)</sub>  $\rightarrow$  4HF<sub>(aq)</sub> + O<sub>2(g)</sub>. In the reaction above, the substance that is being reduced is
  - A.  $O_{2(g)}$
  - B. H<sub>2</sub>O<sub>(1)</sub>
  - C.  $F_{2(g)}$
  - D. HF<sub>(aq)</sub>
- $23.Zn_{(s)} + CuSO_{4(aq)} \rightarrow ZnSO_{4(aq)} + Cu_{(s)}$  In the reaction above, the oxidizing agent is
  - A.  $CuSO_{4(aq)}$
  - B. ZnSO<sub>4(aq)</sub>
  - C. Cu<sub>(s)</sub>
  - D. Zn<sub>(s)</sub>
- 24.In an electrochemical cell, polarization is caused by
  - A. chlorine
  - B. oxygen
  - C. tetraoxosulphate (VI) acid
  - D. hydrogen

- 25.Calculate the volume in cm<sup>3</sup> of oxygen evolved as s.t.p. when a current of 5 A is passed through acidified water for 193s {F = 96500 Cmol<sup>-1</sup>, Molar volume of a gas at s.t.p. = 22.4 dm<sup>3</sup>}
  - A. 224.000 dm<sup>3</sup>
  - B. 0.056 dm<sup>3</sup>
  - C. 0.224 dm<sup>3</sup>
  - D. 56.000 dm<sup>3</sup>
- 26.In an endothermic reaction, if there is a loss in entropy the reaction will
  - A. be indeterminate
  - B. be spontaneous
  - C. not be spontaneous
  - D. be at equilibrium


$$27.2SO_{2(g)} + O_{2(g)} = 2SO_{3(g)}$$

 $\Delta H = -395.7 \text{kJmol}^{-1}$ 

In the reaction above, the concentration of  $SO_{3(g)}$  can be increased by

- A. decreasing the pressure
- B. decreasing the temperature
- C. increasing the temperature
- D. the addition of catalyst
- 28.the minimum amount of energy required for a reaction to take place is
  - A. lattice energy
  - B. ionization energy
  - C. activation energy
  - D. kinetic energy

29.




In the graph above, the activation energy of the catalyzed reaction is

- A. 100KJ
- B. 300KJ
- C. 250KJ


- D. 200KJ
- $30.3 Fe_{(S)} + 4 H_2 O_{(g)} \rightleftharpoons Fe_3 O_{4(s)} + 4 H_{2(g)}$ . The equilibrium constant, K, of the reaction above is represented as
  - A.  $\frac{[Fe_3O_4][H_2]}{[Fe][H_2O]}$
  - B.  $\frac{[H_2O]^4}{[H_2]^4}$
- C.  $\frac{[H_2]^4}{[H_2O]^4}$
- D.  $\frac{[Fe]^3 [H_2 O]^2}{[Fe_3 O_4] [H_2]^4}$
- 31. Which of the following compounds is a neutral oxide?
  - A. Carbon (IV) oxide
  - B. Sulphur (VI) oxide
  - C. Sulphur (IV) oxide
  - D. Carbon (II) oxide
- 32.In the laboratory preparation of ammonia, the flask is placed in a slanting position so as to
  - A. prevent condensed water from breaking the reaction flask
  - B. enable the proper mixing of the reactions in the flask
  - C. enhance the speed of the reaction
  - D. prevent formation of precipitate
- 33. Which of the gases is employed as an anaesthesia?
  - A.  $N_2O$
  - B. NO<sub>2</sub>
  - C. NH<sub>3</sub>
  - D. NO
- 34.Sulphur (IV)oxide is a strong reducing agent in the presence of water due to the formation of
  - A. hydroxide ion
  - B. sulphur (VI)oxide
  - C. hydrogen sulphide
  - D. trioxosulphate (IV) salt

- 35.A metal that forms soluble trioxosulphate (IV) ion is
  - A. barium
  - B. potassium
  - C. manganese
  - D. aluminium
- 36.Copper is displaced from the solution of its salts by most metals because it
  - A. is a transition element
  - B. is at the bottom of the activity series
  - C. is very reactive
  - D. has completely filled 3d-orbitals
- 37. The coloured nature of transition metal ions are associated with their partially filled
  - A. f- orbital
  - B. s- orbital
  - C. p-orbital
  - D. d-orbital
- 38. Aluminium containers are frequently used to transport trioxonitrate (V) acid because aluminium
  - A. has a silvery-white appearance
  - B. has a low density
  - C. does not react with the acid
  - D. does not corrode
- 39.2- methylbutan- 2ol is an example of a
  - A. dihydric alkanol
  - B. tertiary alkanol
  - C. secondary alkanol
  - D. primary alkanol
- 40. The reaction between ammonia and ethyl ethanoate produces
  - A. propanol and ethanamide
  - B. propanol and propanamide
  - C. ethanol and propanamide
  - D. ethanol and ethanamide
- 41. The decarboxylation of ethanoic acid will produce carbon (IV) oxide and
  - A. methane
  - B. ethane
  - C. propane
  - D. butane




The compound above is an

- A. alkanone
- B. alkanoate
- C. alkanal
- D. alkanol
- 43. The compound that will react with sodium hydroxide to form salt and water is
  - A. C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>
  - B. (CH<sub>3</sub>)<sub>3</sub>COH
  - C. CH<sub>3</sub>CH=CH<sub>2</sub>
  - D. CH<sub>3</sub>CH<sub>2</sub>COOH
- 44. Which of the following compounds in solution will turn red litmus paper blue?



45. The dehydration of ammonium salt of alkanoic acids produces a compound with the general formula



- 46. Which of the following fraction is used as raw material for the cracking process?
  - A. kerosene
  - B. lubricating oil

- C. bitumen
- D. diesel oils
- 47.An organic compound with a pleasant smell is likely to have a general formula
  - A. C<sub>n</sub>H<sub>2n+1</sub>CHO
  - B. C<sub>n</sub>H<sub>2n+1</sub>COOH
  - C.  $C_nH_{2n+1}COOC_nH_{2n+1}$
  - D.  $C_nH_{2n+1}COC_nH_{2n+1}$
- 48.A primary amide is generally represented by the formula
  - A. RCOOR
  - B. RCONH<sub>2</sub>
  - C. RCONHR
  - D. RCONR<sub>2</sub>

$$CH_3 - C - CH_2 - CH = CH_2$$
 $CH_3$ 

The IUPAC nomenclature for the compound above is

- A. 4-methylpent-1-ene
- B. 3-methylpent-2-ene
- C. 2-methylpent-1ene
- D. 2-methylpent-4-ene
- 50.An organic compound contains 60% carbon, 13.3% hydrogen and 26.7% oxygen. Calculate the empirical formula (C=12, H =1, O=16)
  - A. C<sub>5</sub>H<sub>12</sub>O
  - B. C<sub>3</sub>H<sub>8</sub>O
  - C.  $C_6H_{13}O_2$
  - D. C<sub>4</sub>H<sub>9</sub>O

- **1.** B
- **2.** B
- **3.** B
- **4.** A
- **5.** D

- **6.** C **7.** C
- **7.** C
- **8.** C
- 9. B 10.
- **10.** D D
- **12.** A
- **13.** C
- **14.** A
- **15.** A
- **16.** B
- **17.** C
- **18.** A
- **19.** B
- **20.** A
- **21.** B C
- **23.** A
- **24.** D
- 25. B 26. C
- **27.** B
- **28.** C
- **29.** A C
- **31.** D
- **32.** A A
- **34.** D
- **35.** B A
- **36.** A D
- **38.** B
- **39.** D
- **40.** D A
- **42.** A
- **43.** D C
- **45.** B
- **46.** B
- **47.** B
- **48.** B A
- **49.** A B

### **UTME 2012 CHEMISTRY QUESTIONS**

### **PAPER TYPE: RED**

- 1. Which Question Paper Type of Chemistry is given to you?
  - A. Type Green
  - B. Type Purple
  - C. Type Red
  - D. Type Yellow
- 2. Which of the following methods can be used to obtain pure water from a mixture of sand, water and methanoic acid?
  - A. neutralization with NaOH followed by filtration
  - B. neutralization with NaOH followed by distillation
  - C. fractional distillation
  - D. filtration followed by distillation
- 3. How many atoms are present in 6.0g of magnesium?

$$[Mg = 24, N_A = 6.02 \times 10^{23} \text{ mol}^{-1}]$$

- A. 1.20 x 10<sup>22</sup>
- B. 2.41 x 10<sup>22</sup>
- C.  $1.51 \times 10^{23}$
- D.  $3.02 \times 10^{23}$
- 4. 50 cm<sup>3</sup> of gas was collected over water at 10°C and 765 mm Hg. Calculate the volume of the gas at s.t.p. if the saturated vapour pressure of water at 10 °C is 5mm Hg
  - A. 49.19 cm<sup>3</sup>
  - B. 48.87 cm<sup>3</sup>
  - C. 48.55 cm<sup>3</sup>
  - D. 48.23 cm<sup>3</sup>
- 5. An increase in the pressure exerted on gas at a constant temperature result in
  - A. a decrease in the number of effective collisions
  - B. a decrease in volume
  - C. an increase in the average intermolecular distance
  - D. an increase in volume
- 6.  $2H_{2(g)} + O_{2(g)} \rightarrow 2H_2 \ O_{(g)}$ In the reaction above, what volume of hydrogen would be left over when 300

- cm<sup>3</sup> of oxygen and 1000 cm<sup>3</sup> of hydrogen are exploded in a sealed tube?
- A. 200 cm<sup>3</sup>
- B. 400 cm<sup>3</sup>
- C. 600 cm<sup>3</sup>
- D. 700 cm<sup>3</sup>
- 7. I. Evaporation.
  - II. Sublimation.
  - Ill. Diffusion.
  - IV. Brownian motion.
  - Which of the above can correctly be listed as evidences for the particulate nature of matter?
  - A. I and III only
  - B. II and IV only
  - C. I, II and III only
  - D. I, II, III and IV
- 8. If the elements X and Y have atomic numbers 11 and 17 respectively, what type of bond can they form?
  - A. Dative
  - B. Covalent
  - C. Ionic
  - D. Metallic
- 9. A hydrogen atom which has lost an electron contains
  - A. one proton only
  - B. one neutron only
  - C. one proton and one neutron
  - D. one proton, one electron and one neutron
- 10. The electronic configuration of Mg <sup>2+</sup> is
  - A.  $1s^{2}2s^{2}2P^{6}3s^{2}3P^{2}$
  - B.  $Is^22s^22P^63s^2$
  - C.  $ls^2 2s^2 2p^6$
  - D.  $ls^2 2s^2 2P^4$
- 11. Group VII elements are
  - A. monoatomic
  - B. good oxidizing agents
  - C. highly electropositive
  - D. electron donors
- 12. Which of the following is used to study the arrangement of particles in crystal lattices?
  - A. Alpha-particles

- B. Beta-particles
- C. Gamma-rays
- D. X-rays
- 13.I. It has a varied composition from one place to another.
  - II. its constituents can be separated by physical means
  - Ill. It contains unreactive noble gases which of the above shows that air is a mixture?
  - A. I and II only
  - B. II and III only
  - C. I and III only
  - D. I, II and III
- 14. The chemicals used to soften hard water involves the addition of
  - A. insoluble sodium compounds which from soluble solutions of calcium and magnesium
  - B. soluble sodium compounds which from soluble solutions of calcium and magnesium ions
  - c. soluble sodium compounds which from insoluble precipitates of calcium and magnesium ions
  - D. insoluble precipitates of calcium and magnesium ions
- 15. Chlorination of water for town supply is carried out to
  - A. make the water colourless
  - B. remove germs from the water
  - C. make the water tasteful
  - D. remove odour from the water
- 16. The solubilities of different solutes in a given solvent can be compared by
  - A. plotting their solubility curves on separate axes
  - B. plotting their solubility curves on the same axes
  - C. plotting some of the solubility curves on the x-axis and others on the y-axis
  - D. plotting their solubility curves on the x-axis only
- 17.Potassium trioxochlorate (V) has a solubility of 1.5 moldm<sup>-3</sup> at 45 °C. On cooling this solution to a temperature of

20 °C, the solubility was found to be 0.5 mol dm  $^{\text{-3}}$ . What mass of KCIO  $_{\text{3}}$  was crystalized out?

[K = 39, Cl = 35.5 O = 16]

- A. 1.00g
- B. 10.00g
- C. 12.25g
- D. 122.50g
- 18. Which of the following pollutants is associated with brain damage?
  - A. Carbon (II) oxide
  - B. Radioactive fallout
  - C. Biodegradable waste
  - D. Sulphur (IV) oxide
- 19. Which of the following will produce a solution with pH less than 7 at equivalent point?
  - A. HNO<sub>3</sub> + NaOH
  - B.  $H_2SO_4 + KOH$
  - C. HC +Mg(OH)<sub>2</sub>
  - D.  $HNO_3 + KOH$
- 20. The number of hydroxonium ions produced by one molecule of an acid in aqueous solution is its
  - A. basicity
  - B. acid strength
  - C. pH
  - D. concentration
- 21. During a titration experiment, 0.05 moles of carbon (IV) oxide is liberated. What is the volume of gas liberated?
  - A. 22.40 dm<sup>3</sup>
  - B. 11.20 dm<sup>3</sup>
  - C. 2.24 dm<sup>3</sup>
  - D. 1.12 dm<sup>3</sup>
- 22.A major factor considered in selecting a suitable method for preparing a simple salt is its
  - A. Crystalline from
  - B. melting point
  - C. reactivity with dilute acids
  - D. solubility in water
- 23.The oxidation number of boron in NaBH<sub>4</sub> is
  - A. -3

- B. -1
- C. +1
- D. +3
- 24.2Na<sub>2</sub>  $O_{2(s)}$  + 2H<sub>2</sub> $O_{2(l)}$   $\rightarrow$  4 NaOH<sub>(s)</sub> +O<sub>2(s)</sub> The substance that is oxidized in the reaction above is
  - A.  $2NaO_{2(s)}$
  - B. NaOH(aq)
  - C. H<sub>2</sub>O<sub>(1)</sub>
  - D.  $O_{2(q)}$
- 25.What number of moles of Cu <sup>2+</sup> will be deposited by 360 coulombs of electricity? [f = 96500 C mol <sup>-1</sup>]
  - A. 5.36 x 10<sup>-4</sup> mole
  - B. 1. 87 x  $10^{-3}$  mole
  - C. 9.  $35 \times 10^{-4}$  mole
  - D. 3.  $73 \times 10^{-3}$  mole
- 26.A metal M displaces zinc from ZnCl, solution. This shows that
  - A. electrons flow from zinc to M
  - B. M is more electropositive than zinc
  - C. M is more electronegative than zinc
  - D. zinc is more electropositive than M
- $27.CO_{(g)} + H_2O_{(g)} \rightarrow CO_{2(g)} + H_{2(g)}$ Calculate the standard heat change of the reaction above, if the standard enthalpies of formation of  $CO_{2(g)}$ ,  $H_2O_{(g)}$  and  $CO_{(g)}$  and  $CO_{(g)}$  in KJ mol<sup>-1</sup> are -394, -242 and -110 respectively.
  - A. + 262 KJ mol <sup>-1</sup>
  - B. 262 KJ mol <sup>-1</sup>
  - C. + 42 KJ mol <sup>-1</sup>
  - D. 42 KJ mol <sup>-1</sup>
- 28.An increase in entropy can best be illustrated by
  - A. mixing of gases
  - B. freezing of water
  - C. the condensation of vapour
  - D. solidifying candle wax
- 29. The highest rate of production of carbon (IV) oxide can be achieved using
  - A. 0.05 mol <sup>-3</sup>HCI and 5g powdered CaCO<sub>3</sub>
  - B. 0.05 mol <sup>-3</sup>HCI and 5g lump CaCO<sub>3</sub>

- C. 0.10 mol <sup>-3</sup>HCI and 5g powdered CaCO<sub>3</sub>
- D.  $0.025 \text{ mol}^{-3}\text{HCI}$  and 5g powdered  $\text{CaCO}_3$

Conc H.SO, and ethanol

 $2HCI_{(aq)} + CaCO_{3(S)} \rightarrow CaCI_{2(s)} + CO_{2(g)} + H_2O_{(l)}$ 

From the reaction above, which of the curves represents the production of co<sub>2</sub> gas as dilute HCl is added?

- A. L
- B. M
- C. N
- D. P
- $31.2CO_{(g)} + O_{2(g)} \leftrightharpoons 2CO_{2(g)}$

In the reaction above, high pressure will favour the forward reaction because

- A. high pressure favours gas formation
- B. the reaction is in dynamic equilibrium
- C. the reaction is exothermic
- D. the process occurs with a decrease in volume
- 32.A piece of filter paper moistened with lead (II) ethanoate solution turns black when the paper is dropped into a gas likely to be
  - A. sulphur (VI) oxide
  - B. hydrogen chloride
  - C. sulphur (VI) oxide
  - D. hydrogen sulphide
- 33. Which of the following gases has a characteristic pungent smell, turns red litmus paper blue and forms dense white fumes with hydrogen chloride gas?
  - A.  $N_2$
  - B.  $N_2O$
  - C. CI<sub>2</sub>
  - D. NH<sub>3</sub>

- 34.Commercial bleaching can be carried out using
  - A. sulphur (IV) oxide and ammonia
  - B. hydrogen sulphide and chlorine
  - C. chlorine and sulphur (IV) oxide
  - D. ammonia and chlorine
- 35. Mineral acids are usually added to commercial hydrogen peroxide to
  - A. oxidize it
  - B. decompose it
  - C. minimize its decomposition
  - D. reduce it to water and oxygen
- 36. Which of the following compounds will burn with a brick-red colour in a non-luminous Bunsen flame?
  - A. LiCI
  - B. NaCl
  - C. CaClN<sub>2</sub>
  - D. MgClN<sub>2</sub>
- 37. The purest form of iron which contains only about 0.1% carbon is
  - A. pig iron
  - B. wrought iron
  - C. cast iron
  - D. iron pyrite
- 38.A common characteristic between zinc and the other transition elements is the ability to
  - A. have variable oxidation states
  - B. from complex ions
  - C. act as a catalyst
  - D. from coloured ions
- 39. Which of the following metals is the least reactive?
  - A. Pb
  - B. Sn
  - C. Hg
  - D. Au
- 40. Geometric isomerism can exist in
  - A. hex-3-ene
  - B. hexane
  - C. prop-1-ene
  - D. 3-methyl but -1-ene

- 41.Alkanals can be distinguished from alkanones by the reaction with
  - A. Sudan III stain
  - B. starch iodide paper
  - C. lithium tetrahydrido aluminate (III)
  - D. Fehling's solution
- 42.The isomers of C<sub>3</sub>H<sub>8</sub>O are
  - A. 1 propanol and 2 propanol
  - B. 1 propanol and 1 propanol
  - C. 2 propanol and 2 propanone
  - D. 2 propanol and 1 propanol
- 43. Carbohydrates are large molecules with the molecular formula  $C_x$  ( $H_2O)_y$ . In which of the following pairs is x not equal to y?
  - A. glucose and starch
  - B. maltose and starch
  - C. sucrose and fructose
  - D. maltose and starch
- 44.A compound contains 40.0% C, 6.7% H 53.3% O. If the molecular mass of the compound is 180, its molecular formula is [C = 12, H = 1, 0]
  - A. CH<sub>2</sub>O
  - B.  $C_3H_6O_3$
  - C.  $C_6H_6O_3$
  - D.  $C_6H_{12}O_6$
- 45. The alkyne that will give a white precipitate silver trioxonitrate (V) is
  - A.  $CH_3 CH_2C \equiv C CH_2 CH_3$
  - B.  $CH_3 C \equiv C CH_2 CH_2 CH_3$
  - C.  $CH_3 CH_2 CH_2 CH_2 C \equiv CH$
  - D.  $CH_3 CH_2 CH_2 C \equiv C CH_2 CH_3$
- 46. The saponification of an alkanoate to produce soap and alkanol involves
  - A. dehydration
  - B. esterification
  - C. hydrolysis
  - D. oxidation
- 47.2 methyl propan -2- ol is an example of a
  - A. primary alkanol
  - B. secondary alkanol
  - C. tertiary alkanol
  - D. quaternary alkanol

- 48. The final oxidation product of alkanol, alkanal and alkanoes is
  - A. alkanoic acid
  - B. alkanoyyl halide
  - C. alkanoate
  - D. alkanamide
- 49.Ethanol reacts with concentrated tetraoxosulphate (V) acid at a temperature above 170°C to form
  - A. ethanone
  - B. ethene
  - C. ethyne
  - D. ethanal
- 50.An example of oxidation reduction enzyme is
  - A. amylase
  - B. protease
  - C. lipase
  - D. dehydrogenase

- **1.** C
- **2.** D
- **3.** C
- **4.** D
- **5.** B
- **6.** B
- **7.** D
- **8.** C
- **9.** C
- **10.** C
- **11.** B
- **12.** D
- **13.** A C
- **15.** B
- **16.** B
- **17.** D
- **18.** B
- **19.** C
- **20.** B
- **21.** D D
- **23.** D
- **24.** A
- **25.** B
- **26.** B
- **27.** C

- **28.** A C
- **30.** Wrong diagram. No answer
- **31.** D
- **32.** D
- **33.** D
- **34.** C
- **35.** C
- **36.** C
- **37.** B
- **38.** B
- **39.** D
- **40.** A
- **41.** D A
- **43.** A
- **44.** D
- **45.** C C
- **46.** C C
- **48.** A
- **49.** B
- 50.


## **UTME 2011 CHEMISTRY QUESTIONS**

### **PAPER TYPE: B**

- 1. Which question Paper Type of Chemistry is given to you?
  - A. Type A
  - B. Type B
  - C. Type C
  - D. Type D
- 2. What is the concentration of a solution containing 2g of NaOH in 100cm<sup>3</sup> of solution?

$$[Na = 23, O = 16, H = 1]$$


- A. 0.40 mol dm<sup>-3</sup>
- B. 0.50 mol dm<sup>-3</sup>
- C. 0.05 mol dm<sup>-3</sup>
- D. 0.30 mol dm<sup>-3</sup>
- 3. Which of the following properties is NOT peculiar to matter?
  - A. kinetic energy of particles increases from solid to gas
  - B. Random motion of particles increases from liquid to gas
  - C. Orderliness of particles increases from gas to liquid
  - D. Random motion of particles increases from gas to solid
- 4. The principle of column chromatography is based on the ability of the constituents to
  - A. move at different speeds in the column
  - B. dissolve in each other in the column
  - C. react with the solvent in the column
  - D. react with each other in the column



From the diagram above, an ideal can be represented by

- A. M
- B. N
- C. K
- D. L
- 6. Which of the following questions is correct about the periodic table?
  - A. The non-metallic properties of the elements tend to decrease across each period
  - B. The valence electrons of the elements increase progressively across the period
  - C. Elements in the same group have the same number of electron shells
  - D. Elements in the same period have the number of valence electrons
- 7. The relative atomic mass of a naturally occurring lithium consisting of 90% Li and 10% Li is
  - A. 6.9
  - B. 7.1
  - C. 6.2
  - D. 6.8
- 8. An isotope has an atomic number of 15 and a mass number of 31. The number of protons it contain is
  - A. 16
  - B. 15
  - C. 46
  - D. 31
- 9. The molecular lattice of iodine is held together by
  - A. dative bond
  - B. metallic bond
  - C. hydrogen bond
  - D. van der Waal's forces
- 10. The arrangement of particles in crystal lattices can be studied using
  - A. X rays
  - B. γ rays
  - C. a rays
  - D. β rays

11.



From the diagram above, find the amount of solute deposited when 200 cm<sup>3</sup> of the solution is cooled from 55°C to 40°C


- A. 0.10 mole
- B. 0.20mole
- C. 0.01 mole
- D. 0.02 mole
- 12. The importance of sodium aluminate (III) in the treatment of water is to
  - A. cause coagulation
  - B. neutralize acidity
  - C. prevent goitre and tooth decay
  - D. kill germs
- 13. What type of bond exits between an element X with atomic number 12 and Y with atomic number 17?
  - A. Electrovalent
  - B. Metallic
  - C. Covalent
  - D. Dative
- 14. Hardness of water is mainly due to the presence of
  - A. calcium hydroxide or magnesium hydroxide
  - B. calcium trioxocarbonate (IV) or calcium tetraoxosulphate (VI)
  - C. sodium hydroxide or magnesium Hydroxide
  - D. calcium chloride or sodium chloride salts
- 15.A suitable solvent for iodine and nephthalene is
  - A. carbon (IV) sulphide
  - B. ethanol
  - C. water
  - D. benzene

- 16. Which of the following noble gases is commonly found in the atmosphere?
  - A. Xenon
  - B. Neon
  - C. Helium
  - D. Argon
- $17.N_2O_{4(g)} \leftrightharpoons 2NO_{2(g)} \quad \Delta H = +ve$ In the reaction above, an increase in temperature will
  - A. increase the value of the equilibrium constant
  - B. decreases the value of the equilibrium constant
  - C. increase in the reactant production
  - D. shift the equilibrium to the left
- 18.CH<sub>3</sub>COOH<sub>(aq)</sub> + OH<sup>-</sup><sub>(aq)</sub> = CH<sub>3</sub>COO<sup>-</sup><sub>(aq)</sub> + H<sub>2</sub>O<sub>(I)</sub>

In the reaction above, CH<sub>3</sub>COO-(aq) is

- A. conjugate base
- B. acid
- C. base
- D. conjugate acid
- 19. How many cations will be produced from a solution of potassium aluminium tetraoxosulphate (VI)?
  - A. 3
  - B. 4
  - C. 1
  - D. 2
- 20. Which of the following is **NOT** an alkali?
  - A. NH<sub>3</sub>
  - B. Mg(OH)<sub>2</sub>
  - C. Ca(OH)<sub>2</sub>
  - D. NaOH
- 21.An effect of thermal pollution on water bodies is that the
  - A. volume of water reduces
  - B. volume of chemical waste increase
  - C. level of oxides of nitrogen increase
  - D. level of oxygen reduces
- 22. Which of the following is a deliquescent compound?
  - A. Na<sub>2</sub>CO<sub>3</sub>
  - B. CaCl<sub>2</sub>


- C. CuO
- D. Na<sub>2</sub>CO<sub>3</sub>. 10H<sub>2</sub>O
- 23.A chemical reaction which the hydration energy is greater than the lattice energy is referred to as
  - A. a spontaneous reaction
  - B. an endothermic reaction
  - C. an exothermic reaction
  - D. a reversible reaction
- 24. The function of zinc electrode in a galvanic cell is that it
  - A. undergoes reduction
  - B. serves as the positive electrode
  - C. production electrons
  - D. uses up electrons
- $25.CH_{4(g)}\,+\,CI_{2(g)}\rightarrow CH_3\,\,CI_{(s)}\,+\,HCI_{(g)}$ The major factor that influence the rate of the reaction above is
  - A. catalyst
  - B. temperature
  - C. concentration
  - D. light
- 26. The condition required for corrosion to take place is the presence of
  - A. water and carbon (IV) oxide
  - B. water, carbon (IV) oxide and oxygen
  - C. oxygen and carbon (IV) oxide
  - D. water and oxygen



In the diagram above, X is the

- A. enthalpy
- B. enthalpy change
- C. activation energy
- D. activated complex

28.



The diagram above best illustrates the effect of decrease in

- A. concentration
- B. temperature
- C. surface area
- D. pressure

29.MnO
$$^{-}_{4(aq)}$$
 + Y + 5Fe $^{2+}_{(aq)}$   $\rightarrow$  Mn $^{2+}_{(aq)}$  + 5Fe $^{2+}_{(aq)}$  + 4H $_2$ O $_{(I)}$  In the equation above, Y is

- A. 5H<sup>+</sup>(aq)
- B.  $4H^{+}_{(aq)}$
- C. 10H<sup>+</sup>(aq)
- D.  $8H^{+}_{(aq)}$
- 30. Given that M is the mass of a substance deposited during electrolysis and Q is the quantity of electricity consumed, then Faraday's first law can be written as [Electrochemical equivalent]
  - A.  $M = \frac{E}{Q}$
  - B. M = EQ

  - C.  $M = \frac{Q}{E}$ D.  $M = \frac{E}{2Q}$
- 31. The impurities formed during the laboratory preparation of chlorine gas are removed by
  - A. H<sub>2</sub>O
  - B. NH<sub>3</sub>
  - C. H<sub>2</sub>SO<sub>4</sub>
  - D. HCI
- 32. The effect of the presence of impurities such as carbon and sulphur on iron is that they
  - A. give it high tensile strength
  - B. make it malleable and ductile
  - C. increase its melting point


- D. lower its melting point
- 33.A few drops of concentrated HNO₃ is added to an unknown solution and boiled for a while. If this produces a brown solution, the cation presents are likely to be
  - A. Pb2+
  - B. Cu<sup>2+</sup>
  - C. Fe<sup>3+</sup>
  - D. Fe<sup>2+</sup>
- 34. The bleaching action of chlorine gas is effective due to the presence of
  - A. hydrogen chloride
  - B. water
  - C. air
  - D. oxygen
- 35.In the laboratory preparation of oxygen, dried oxygen is usually collected over
  - A. hydrochloric acid
  - B. mercury
  - C. calcium chloride
  - D. tetraoxosulphate (VI) acid
- 36. The property of concentrated H<sub>2</sub>SO<sub>4</sub> that makes it suitable for preparing HNO<sub>3</sub> is its
  - A. boiling point
  - B. density
  - C. oxidizing properties
  - D. dehydrating properties
- 37. Bronze is preferred to copper in the making of medals because it
  - A. is stronger
  - B. can withstand low temperature
  - C. is lighter
  - D. has low tensile strength
- 38. The constituents of baking powder that makes the dough to rise is
  - A. NaHCO<sub>3</sub>
  - B. NaOH
  - C. Na<sub>2</sub>CO<sub>3</sub>
  - D. NaCl
- 39. Which of the following compound is used as a gaseous fuel?


A. 
$$CH_3 - C = CH$$

C. 
$$CH_3 - CH_2 - CH_2 - COOH$$

D. 
$$CH_3 - CH_2 - CH_2 - CH_3$$

- 40. The ability of carbon to form long chains is referred to as
  - A. alkylation
  - B. acylation
  - C. catenation
  - D. carbonation
- 41. Which of the following compounds will undergo polymerization reaction?
  - A.  $C_2H_4$
  - B. C<sub>2</sub>H<sub>5</sub>COOH
  - $C. C_2H_6$
  - D. C<sub>2</sub>H<sub>5</sub>OH





The compound above exhibits

- A. geometric isomerism
- B. optical isomerism
- C. structural isomerism
- D. positional isomerism
- 43. An organic compound has an empirical formula CH<sub>2</sub>O and vapour density of 45. What is the molecular formula?


$$[C = 12, H = 1, O = 16]$$

- A. C<sub>3</sub>H<sub>7</sub>OH
- B. C<sub>2</sub>H<sub>5</sub>OH
- C.  $C_3H_6O_3$
- D. C<sub>2</sub>H<sub>4</sub>O<sub>2</sub>
- 44. C<sub>6</sub>H<sub>12</sub>O<sub>6</sub> ·  $\longrightarrow$  2C<sub>2</sub>H<sub>5</sub>OH + 2CO<sub>2</sub> + energy

The reaction above represented by the equation above is useful in the production of

- A. propanol
- B. butanol
- C. methanol

- D. ethanol
- 45. The number of isomers that can be obtained from  $C_4H_{10}$  is
  - A. 3
  - B. 4
  - C. 1
  - D. 2



The functional groups present in the compound above are

- A. alkene and halo-group
- B. hydroxyl and chloro-group
- C. alkene and chloro-group
- D. hydroxyl and halo-group

47.

Which of the following is a primary amine?

- A. A
- B. B
- C. C
- D. D
- 48.Two organic compounds K and L were treated with a few drops of Fehling's solutions respectively. K formed a brick-red precipitate while L, remains unaffected. The compound K is an
  - A. alkanol
  - B. alkane
  - C. alkanal
  - D. alkanone
- 49. Which of the following statements is true about 2-methylpropane and butane
  - A. They are members of the same homologous series
  - B. They have the same boiling point

- C. They have different number of carbon atoms
- D. They have the same chemical properties

50.CH<sub>3</sub>COOH + C<sub>2</sub>H<sub>5</sub>OH 
$$\xrightarrow{conc}$$
  $\xrightarrow{H^2SO_4}$ 

 $CH_3COOC_2H_5 + H_2O$ 

The reaction above is best described as

- A. esterification
- B. Condensation
- C. saponification
- D. neutralization

- **1.** B
- **2.** B
- **3.** D
- **4.** A
- **5.** B
- **6.** B
- 7. -
- **8.** B
- 9. D 10.
- 10. F
- **12.** A
- **13.** A
- **14.** B
- **15.** B
- **16.** D A
- **17.** A **18.** A
- **19.** D
- **20.** A
- **21.** D
- **22.** B
- **23.** C
- **24.** C
- **25.** D
- **26.** D
- **27.** B
- **28.** A
- **29.** A
- **30.** B A
- **31.** A D
- **33.** D
- **34.** B
- **35.** D
- **36.** C

37. C
38. A
39. D
40. C
41. A
42. B
43. C
44. D
45. D
46. B
47. B
48. C
49. A

### **UTME 2010 CHEMISTRY QUESTIONS**

### **PAPER TYPE: A**

- 1. Which chemistry paper type is given to you
  - A. Type A
  - B. Type B
  - C. Type C
  - D. Type D
- 2. Which of the following is an example of a mixture?
  - A. Common salt
  - B. Blood
  - C. Sand
  - D. Washing soda
- 3. Calculate the percentage by mass of nitrogen in calcium trioxonitrate (V) [Ca = 40, N = 14, O = 16]
  - A. 8.5%
  - B. 13.1%
  - C. 17.1%
  - D. 27.6%
- 4. The droplets of water observed around a bottle of milk taken out of the refrigerator is due to the fact that the
  - A. water vapour in the air around the bottle gains some energy from the bottle
  - B. temperature of the milk drops as it loses heat into the surroundings
  - C. saturated vapour pressure of the milk is equal to the atmospheric pressure
  - D. water vapour in the air around the bottle loses some of its energy to the bottle
- 5. The volume of a given gas is V cm3 P mm Hg. what is the new volume of the gas if the pressure is reduced to half at constant temperature?
  - A. 4 V cm<sup>3</sup>
  - B. 2 V cm<sup>3</sup>
  - C.  $V_{2}$  cm<sup>3</sup>
  - D. V cm<sup>3</sup>
- 6. Moving from left to right across a period, the general rise in the first ionization energy can be attributed to the
  - A. decrease in nuclear charge

- B. increase in nuclear charge
- C. decrease in screening effect
- D. increase in screening effect
- 7. How many unpaired electron(s) are there in the nitrogen sub-levels?
  - A. 3
  - B. 2
  - C. 1
  - D. none
- 8. The stability of the noble gases is due to the fact that they
  - A. have no electron in their outermost shells
  - B. have duplet or octet electron configurations
  - C. belong to group zero of the periodic table
  - D. are volatile in nature
- 9. The maximum number of electrons in the L shell of an atom is
  - A. 2
  - B. 8
  - C. 18
  - D. 32
- 10. Elements in the same period in the periodic table have the same
  - A. number of shells
  - B. atomic number
  - C. chemical properties
  - D. physical properties
- $11._{1}^{2}D + _{1}^{3}T \rightarrow _{2}^{4}He + _{0}^{1}n + energy$ The reaction above illustrates
  - A. alpha decay
  - B. artificial transmutation
  - C. nuclear fusion
  - D. nuclear fission
- 12.A noble gas with a high power of fog penetration used in aerodrome beacons is
  - A. krypton
  - B. argon
  - C. helium
  - D. neon

- 13.Permanent hardness of water can be removed by
  - A. filtration
  - B. adding slaked lime
  - C. adding caustic soda
  - D. boiling
- 14. Substance employed as drying agents are usually
  - A. amphoteric
  - B. hydroscopic
  - C. efflorescent
  - D. acidic
- 15. Calculate the solubility in mol dm $^{-3}$  of 40g of CuSO<sub>4</sub> dissolved in 100g of water at 120 $^{\circ}$ C.

$$[Cu = 64, S = 32, O = 16]$$


- A. 4.00
- B. 2.50
- C. 0.40
- D. 0.25
- 16. Coffee stains can best be removed by
  - A. Kerosene
  - B. turpentine
  - C. a solution of borax in water
  - D. ammonia solution
- 17.Carbon (II) oxide is considered dangerous if inhaled mainly because it
  - A. can cause injury to the nervous system
  - B. competes with oxygen in the blood
  - C. competes with carbon (IV) oxide in the blood
  - D. can cause lung cancer
- 18. The acid that is used to remove rust is
  - A. boric
  - B. hydrochloric
  - C. trioxonitrate (V)
  - D. tetraoxosulphate (VI)
- 19.Calculate the volume of 0.5 mol dm $^{-3}$  H $_2$ SO $_4$  that is neutralized by 25 cm $^3$  of 0.1 mol dm $^{-3}$  NaOH
  - A. 5.0 cm<sup>3</sup>
  - B. 2.5 cm<sup>3</sup>
  - C.  $0.4 \text{ cm}^3$
  - D. 0.1 cm<sup>3</sup>

- 20. The colour of methyl orange in alkaline medium is
  - A. yellow
  - B. pink
  - C. orange
  - D. red
- 21. Which of the following salts is slightly soluble in water?
  - A. AgCl
  - B. CaSO<sub>4</sub>
  - C. Na<sub>2</sub>CO<sub>3</sub>
  - D. PbCl<sub>2</sub>
- 22.6AgNO<sub>4(aq)</sub> + PH<sub>3(g)</sub> +  $3H_2O_{(I)} \rightarrow 6Ag_{(s)}$  +  $H_3PO_{3(g)}$  +  $6HNO_{3(aq)}$  In the above reaction, the reducing agent is
  - A.  $HNO_{3(aq)}$
  - B. H<sub>2</sub>O<sub>(I)</sub>
  - C. PH<sub>3(g)</sub>
  - D.  $AgNO_{3(aq)}$
- 23.The IUPAC nomenclature of the compound LiAlH<sub>4</sub> is
  - A. lithiumtetrahydridoaluminate (III)
  - B. aluminium tetrahydrido lithium
  - C. tetrahydrido lithium aluminate (III)
  - D. lithium aluminium hydride
- 24.Iron can be protected from corrosion by coating the surface with
  - A. gold
  - B. silver
  - C. copper
  - D. zinc
- 25. What quantity of aluminium is deposited when a current of 10A is passed through a solution of an aluminium salt for 1930s?

$$[AI = 27, F = 96500 \text{ C mol}^{-1}]$$

- A. 0.2 g
- B. 1.8 g
- C. 5.4 g
- D. 14.2 g
- 26.In which of the following is the entropy change positive?
  - A. Thermal dissociation of ammonium chloride

- B. Reaction between an acid and a base
- C. Addition of concentrated acid to water
- D. Dissolution of sodium metal in water
- 27.If a reaction is exothermic and there is a great disorder, it means that
  - A. the reaction is static
  - B. the reaction is in a state of equilibrium
  - C. there will be a large increase in free energy
  - there will be a large decrease in free energy
- 28.In the preparation of oxygen by heating KClO<sub>3</sub> in the presence of MnO<sub>2</sub>, only moderate heat is needed because the catalyst acts by
  - A. lowering the pressure of the reaction
  - B. increasing the surface area of the reactant
  - C. increase the rate of the reaction
  - D. lowering the energy barrier of the reaction




The graph above demonstrate the effect of

- A. surface area on the rate of reaction
- B. catalyst on the rate of reaction
- C. pressure on the rate reaction
- D. concentration on the rate of reaction
- $30.2H_{2(g)} + O_{2(g)} \leftrightharpoons 2H_2O_{(g)} \Delta H = -ve$  what happens to the equilibrium constant of the reaction above if the temperature is increased?
  - A. it is unaffected
  - B. it becomes zero
  - C. it decrease
  - D. it increases

- 31.To a solution of an unknown compound, a little dilute tetraoxosulphate (VI) acid was added with some freshly prepared iron (II) tetraoxosulphate (VI) solution. The brown ring observed after the addition of a stream of concentrated tetraoxosulphate (VI) acid confirmed the presence of
  - A. CO
  - B. Cl-
  - C. SO-
  - D. NO


32.



In the diagram above, the gas produced is

- A. NO
- B. NO<sub>2</sub>
- C. N<sub>2</sub>O
- D. N<sub>2</sub>O<sub>4</sub>
- 33. Which of the following is used in rocket fuels?
  - A. HNO<sub>3</sub>
  - B. CH<sub>3</sub>COOH
  - C. H<sub>2</sub>SO<sub>4</sub>
  - D. HCI

34.



In the diagram above, the purpose of the asbestos to

A. absorb impurities

- B. catalyse the reaction
- C. solidify the gas
- D. dry the gas
- 35.A constituent common to bronze and solder is
  - A. lead
  - B. silver
  - C. copper
  - D. tin
- 36. When iron is exposed to moist air, it gradually rusts. This is due to the formation of
  - A. hydrate iron (III) oxide
  - B. anhydrous iron (III) oxide
  - C. anhydrous iron (II) oxide
  - D. hydrate iron (II) oxide
- 37.A compound gives an orange-red colour to non-luminous flame. This compound is likely to contain
  - A. Na<sup>+</sup>
  - B. Ca<sup>2+</sup>
  - C. Fe<sup>3+</sup>
  - D. Fe<sup>2+</sup>
- 38. Stainless steel is used for making
  - A. magnets
  - B. tools
  - C. coins and medals
  - D. moving parts of clocks
- 39. The residual solids from the fractional distillation of petroleum are used as
  - A. coatings of pipes
  - B. raw materials for the cracking process
  - C. fuel for the driving tractors
  - D. fuel for jet engines

The IUPAC nomenclature of the compound above is

- A. 4 ethyloctane
- B. 5 ethyloctane

- C. 5 propylheptane
- D. 3 propylheptane
- 41. Which of the following is used as fuel in miners' lamp?
  - A. Ethanal
  - B. Ethyne
  - C. Ethene
  - D. Ethane
- 42. Which of the following organic compounds is very soluble in water?
  - A. CH<sub>3</sub>COOH
  - B.  $C_2H_2$
  - C.  $C_2H_4$
  - D. CH<sub>3</sub>COOC<sub>2</sub>H<sub>5</sub>
- 43.Benzene reacts with hydrogen in the presence of nickel catalyst at 180°C to give
  - A. xylene
  - B. toluene
  - C. cyclopentane
  - D. cyclohexane
- 44. Which of the following is used to hasten the ripening of fruit?
  - A. Ethene
  - B. Ethanol
  - C. Ethyne
  - D. Ethane
- 45. The final products of the reaction between methane and chlorine in the presence of ultraviolet light are hydrogen chloride and
  - A. tricloromethane
  - B. dichloromethane
  - C. tetrachloromethane
  - D. chloromethane
- 46. The correct order of increasing boiling points of the following compounds  $C_3H_7OH$ ,  $C_7H_{16}$  and  $C_4H_{10}$  is
  - A.  $C_3H_7OH \rightarrow C_4H_{10} \rightarrow C_7H_{16}$
  - B.  $C_4H_{10} \rightarrow C_7H_{16} \rightarrow C_3H_7OH$
  - C.  $C_7H_{16} \rightarrow C_3H_7OH \rightarrow C_4H_{10}$
  - D.  $C_4H_{10} \rightarrow C_3H_7OH \rightarrow C_7H_{16}$
- 47. One of the major uses of alkane is
  - A. as domestic and industrial fuel

- B. in the hydrogenation of oils
- C. in the textile industries
- D. in the production of plastics
- 48. The haloalkanes used in dry-cleaning industries are
  - A. trichloromethane and tetrachloromethane
  - B. chloroethene and dichloroethene
  - C. trichloroethene and tetrachloroethene
  - D. chloroethane and dichloroethane
- 49. Two hydrocarbons X and Y were treated with bromine water. X decolorized the solution and Y did not not. Which class of compound does Y belong?
  - A. Benzene
  - B. Alkynes
  - C. Alkenes
  - D. Alkanes
- 50. The compound that is used as an anaesthetic is
  - A. CCI<sub>4</sub>
  - B. CH Cl<sub>3</sub>
  - C. CH<sub>2</sub>Cl<sub>2</sub>
  - D. CH<sub>3</sub>Cl

- **1.** A
- **2.** B
- **3.** C
- **4.** D
- **5.** B
- **6.** B
- **7.** A
- **8.** B
- **9.** B
- 10. Α
- 11. C
- 12. Α
- **13**. C
- 14. В **15.**
- В **16.** D
- **17.** В
- 18. В
- 19. В
- 20. Α
- 21. В

- 22. C
- 23. Α D
- 24. 25. В
- 26. Α
- 27. C
- 28. D
- 29.
- Α C 30.
- 31. D
- 32. Α
- 33. Α
- 34. В
- 35. D
- 36. Α **37.** В
- 38. C
- 39. Α
- 40. D 41. В
- 42. Α
- 43. D
- 44. A
- C 45. 46. D
- 47. Α
- 48. Α
- 49. D
- **50.** В